

# HSM®

Great Products, Great People.



## Office Technology Product Overview

United Kingdom



## HSM – The Company

### Your experts for data protection

If you want to protect data securely, you need products you can trust completely. That is why with every HSM document shredder, you get a machine with our extensive experience and expertise built-in to it.

We are at the forefront with our wide scope of products: our balanced product range makes us a popular partner for security in the home office, in company offices or departments or in archives. There is no doubt about it: if you need to destroy personal data and confidential documents efficiently and easily in accordance with GDPR, we have the right product, whatever your requirement.





Founder and CEO Hermann Schwelling (centre) together with the shareholders Christina Schwelling and Harald Schwelling.

## A success story for over 50 years

What we value and what gives you more value: a creative spirit, extensive know-how, commitment to quality and excellent customer service all from one source. Since Hermann Schwelling founded the company in 1971, we have developed from a small machinery plant in South Germany to one of the global market leaders for document shredders. We want all our customers to benefit from the proven HSM "Made in Germany" quality, manufactured in our plants in Salem, Frickingen and Reichenbach.

We are committed to Germany as a location. We have approximately 900 employees world-wide. Every single HSM document shredder holds a combination of decades of experience and the focused passion of our highly trained specialists and managers. "Great Products, Great People" for shared success, 100 percent quality and your satisfaction – guaranteed.



Salem Site



Frickingen Site




Reichenbach Site

**From the blank to the precision cutting roller:**  
the complete process is carried out in-house at HSM!



Turning




Induction hardening



Finishing



Quality control



## HSM Quality

### Manufacturing depth across the board

Ever since the early years of the company, we have concentrated on our core competences of shredding and presses. Our quality concept has always been based on German manufacture. "Made in Germany" is synonymous with "Made by HSM". We have a unique manufacturing depth: from the blank to the precision cutting roller, from the first idea to the finished document shredder, from the development and design through

production and project planning – all the way to the service. We put the emphasis on competence across the board. We are in the driving seat, keeping our company on the quality track. You benefit from HSM's high degree of precision, the long operating life of our equipment and an optimum price-performance ratio.



All HSM plants have DIN EN ISO 9001 certification and strive to manufacture sustainable products.




**Made by HSM:** due to the manufacturing depth in its own plants, HSM can always guarantee the very best product quality.

# More than the sum of good single components: proven HSM quality

Using the HSM SECURIO P36i  
as an example



Document shredder  
assembly



**1 Robust:** hardened solid steel cutting rollers (with lifetime warranty in security levels P-2 to P-5).


**2 Powerful:** integrated automatic oiler provides for consistently high cutting capacity.

**3 Practical:** the filling level of the waste container can be seen at all times through the inspection window.

**4 Innovative:** the intuitive operation and menu selection via the high resolution touch display.

**5 Intelligent:** The innovative IntelligentDrive motor and operating technology offers Silent, Standard and Performance operating modes for destroying data efficiently and conveniently.

**6 Solid and durable:** the document shredder has a high-quality and robust wooden cabinet with an extra large door opening angle and can easily be moved on castors.



## Sustainability

### Good for the environment, good for you

We are very aware of our responsibility. That is why we manufacture products with a long operating life, which are already energy-efficient and which will not lose their value tomorrow. Every day we take small steps to get even more sustainable results in our production process, in our material selection and in energy consumption: our transport and outer packaging are made from re-usable materials and we recycle metal and plastic manufacturing waste. Since we do not use composite materials,

we only have single-source waste material. Moreover, we only use environmentally friendly, recyclable auxiliary and operating materials. We manufacture as sustainably as possible and always consider the environment in our processes. Nothing is closer to our hearts than preserving our environment and climate for future generations.



## HSM Products are environmentally friendly

- The HSM SECURIO AF100 / C14 / C16 and HSM Pure 120 / 220 document shredders use no electricity in stand-by.
- Thanks to the EcoSmart energy management system, the HSM SECURIO AF150 to AF500 and C18 to P44i document shredders automatically switch to stand-by mode after two minutes and are therefore always ready to use. In this mode, the power consumption is less than 0.1 W.
- The HSM Pure shredders feature an energy management system and save power in stand-by mode.
- The HSM Powerline heavy duty document shredders and shredder baler combinations use motors compliant with energy-efficiency class IE3.
- The HSM StoreEx data media shredders have particularly powerful and energy-efficient drives and are designed for quiet continuous operation.
- HSM ProfiPack packaging machines turn used cardboard into high-quality packaging material, thus saving valuable resources.



## Social and ecological commitment

We always strive to do our part for the future which is why we support a range of social and environmental projects. HSM therefore gets involved in a range of local, regional and global projects, associations, and support organisations.



## HSM SECURIO awarded the Blue Angel




[www.blauer-engel.de/uz174](http://www.blauer-engel.de/uz174)

HSM shredders are characterized by low energy consumption, durable design and the avoidance of materials that are harmful to the environment. These were the reasons that document shredders from the HSM SECURIO product range were awarded the Blue Angel certificate. We are particularly proud of this.

Learn more about this certificate:  
[www.blauer-engel.de/uz174](http://www.blauer-engel.de/uz174)





## Shred securely

### It is more important than ever to protect data

No week passes without a report of personal or confidential data ending up in the wrong hands. The consequences range from significant financial losses to a loss of honour and reputation – both privately and in the business world. Although data protection laws such as the General Data Protection Regulation (GDPR), in force in the United Kingdom and Europe since May 2018, oblige parties to handle personal data correctly and should therefore prevent data misuse, a major effort is still required: there is often no consistent concept or data protection

endeavours are too superficial. This is obvious when bank statements end up in the street while the bank is being renovated, lists with the marks from final school exams or patient medical reports are found in public paper containers. Don't be the one responsible for something like that.



# HSM offers a tremendous range of document shredders

Do you need a compact document shredder for use at home, a central machine for an open-plan office, a complete disposal station for large quantities of documents or a shredder for your digital data media?

In the HSM product ranges SECURIO, Pure, shredstar, Powerline and StoreEx you will find the machine to match your requirement. In every price class, at every security level, for every performance requirement and handling every type of data media.

Industry / Authorities / Companies

SMEs

Private users

Degree of professionalism

Amount of data to be destroyed



## HSM Powerline / HSM StoreEx

Heavy-duty document shredders, shredder baler combinations or data media shredders for commercial operators.



## HSM SECURIO

The premium shredder line for all users with the highest standards.



## HSM Pure

The document shredders for SMEs, traders, the self-employed and contractors.




## HSM shredstar

Stylish – good value – secure. Document shredders for the workplace or the home.

# The perfect solution for every requirement

Confidential documents do not belong in the waste bin but in an HSM document shredder. And remember: the more confidential the data is, the higher the security level needs to be. The particle-cut document shredders from DIN/ISO-security level P-4 onwards are GDPR compliant and offer a sufficiently

high data protection level for most private and commercial users. If you have particularly confidential and secret data with a particularly high protection requirement, we recommend you destroy the data using a machine in security level P-5 to P-7.



Photos of the different particle sizes for the data medium paper.

# ISO/IEC 21964 (DIN 66399) – the standard for data protection

**1** Define your protection class ...

**2** ... which leads to the security levels.

## Protection class 1

Normal protection requirement for internal data.

## Protection class 2

High protection requirement for confidential data.

## Protection class 3

Very high protection requirements for particularly confidential and secret data.

### Security level 1

General documents to be rendered illegible or invalidated, for instance old advertising material such as catalogues, brochures.

### Security level 2

Internal documents to be rendered illegible or invalidated, for instance internal company communications, such as out-of-date instructions, travel guidelines, notices, forms.

### Security level 3

Data media with sensitive and confidential data as well as personal data subject to high protection requirements, e.g. company sales reports and tax documents as well as quotations, orders etc. with private address data.

### Security level 4

Data media with sensitive and confidential data as well as personal data subject to high protection requirements, e.g. balances and conditions as well as payslips, personal data/files, work contracts, tax documents.

### Security level 5

Data media with confidential information of fundamental importance for a person, company or institution, e.g. medical reports, patents, construction documents, strategic papers, competitor analysis, process documentation.

### Security level 6

Data media with confidential documentation requiring extraordinary security precautions, e.g. research and development documents, official areas.

### Security level 7

For strictly confidential data with the highest security precautions e.g. secret service or military sectors.

For the secure destruction of personal data we recommend security levels P-4 and above.

To find out exactly which security level is the right one for you, just follow the three steps on these two pages. If you have different types of data media to be destroyed, the one requiring the highest security level is relevant for determining which cutting size you need.

### 3 Select the data media relevant for you.



Information in original size



Optical data media



Magnetic data media



Electronic data media



Information in reduced form



Hard drives with magnetic data media

	<b>P</b>	<b>O</b>	<b>T</b>	<b>E</b>	<b>F</b>	<b>H</b>
→	<b>P-1</b> ✓ Strip size max. 12 mm	<b>O-1</b> ✓ Particle size max. 2000 mm <sup>2</sup>	<b>T-1</b> ✓ Mechanically inoperable	<b>E-1</b> ✓ Mechanically/electronically inoperable	<b>F-1</b> ✓ Particle size max. 160 mm <sup>2</sup>	<b>H-1</b> Mechanically/electronically inoperable
→	<b>P-2</b> ✓ Strip size max. 6 mm	<b>O-2</b> ✓ Particle size max. 800 mm <sup>2</sup>	<b>T-2</b> ✓ Particle size max. 2000 mm <sup>2</sup>	<b>E-2</b> ✓ Split	<b>F-2</b> ✓ Particle size max. 30 mm <sup>2</sup>	<b>H-2</b> Damaged
→	<b>P-3</b> ✓ Particle size max. 320 mm <sup>2</sup>	<b>O-3</b> ✓ Particle size max. 160 mm <sup>2</sup>	<b>T-3</b> ✓ Particle size max. 320 mm <sup>2</sup>	<b>E-3</b> ✓ Particle size max. 160 mm <sup>2</sup>	<b>F-3</b> ✓ Particle size max. 10 mm <sup>2</sup>	<b>H-3</b> ✓ Deformed
→	<b>P-4</b> ✓ Particle size max. 160 mm <sup>2</sup>	<b>O-4</b> ✓ Particle size max. 30 mm <sup>2</sup>	<b>T-4</b> ✓ Particle size max. 160 mm <sup>2</sup>	<b>E-4</b> ✓ Particle size max. 30 mm <sup>2</sup>	<b>F-4</b> Particle size max. 2.5 mm <sup>2</sup>	<b>H-4</b> ✓ Split and deformed several times, particle size max. 2000 mm <sup>2</sup>
→	<b>P-5</b> ✓ Particle size max. 30 mm <sup>2</sup>	<b>O-5</b> ✓ Particle size max. 10 mm <sup>2</sup>	<b>T-5</b> ✓ Particle size max. 30 mm <sup>2</sup>	<b>E-5</b> ✓ Particle size max. 10 mm <sup>2</sup>	<b>F-5</b> Particle size max. 1 mm <sup>2</sup>	<b>H-5</b> ✓ Split and deformed several times, particle size max. 320 mm <sup>2</sup>
→	<b>P-6</b> ✓ Particle size max. 10 mm <sup>2</sup>	<b>O-6</b> ✓ Particle size max. 5 mm <sup>2</sup>	<b>T-6</b> ✓ Particle size max. 10 mm <sup>2</sup>	<b>E-6</b> Particle size max. 1 mm <sup>2</sup>	<b>F-6</b> Particle size max. 0.5 mm <sup>2</sup>	<b>H-6</b> Split and deformed several times, particle size max. 10 mm <sup>2</sup>
→	<b>P-7</b> ✓ Particle size max. 5 mm <sup>2</sup>	<b>O-7</b> Particle size max. 0.2 mm <sup>2</sup>	<b>T-7</b> Particle size max. 2.5 mm <sup>2</sup>	<b>E-7</b> Particle size max. 0.5 mm <sup>2</sup>	<b>F-7</b> Particle size max. 0.2 mm <sup>2</sup>	<b>H-7</b> Split and deformed several times, particle size max. 5 mm <sup>2</sup>



HSM document shredders are available for these security levels.

Please see pages 12/13 for an overview of which shredders meet the requirements for a particular security level.

# Product adviser

Scope of application	Protection class	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Model
<b>Home / small office</b> <b>1 to 3 persons</b> Per cycle: <b>up to 20 sheets</b> Collection volume: <b>up to 25 litres</b>	1	P-2/T-2/E-2		<b>SECURIO:</b> C14, C16, C18, <b>Pure:</b> 120, 220, 320
	1	P-2/O-2/T-2/E-2		<b>SECURIO:</b> C18, <b>Pure:</b> 320
	2	P-4/T-4/E-3/F-1		<b>SECURIO:</b> AF100, C14, C16, C18, <b>Pure:</b> 120, 220, 320
	2	P-4/O-1/T-2/E-2/F-1		<b>shredstar:</b> X5, X10
	2-3	P-5/T-5/E-4/F-2		<b>SECURIO:</b> C18
<b>Workplace / Office</b> <b>1 to 5 persons</b> Per cycle: <b>up to 30 sheets</b> Collection volume: <b>up to 85 litres</b>	1	P-2/T-2/E-2		<b>SECURIO:</b> B22
	1	P-2/O-2/T-2/E-2		<b>SECURIO:</b> B22, B24, B26, B32, <b>Pure:</b> 420, 530
	2	P-4/O-1/T-2/E-2/F-1		<b>shredstar:</b> X13, X15
	2	P-4/T-4/E-3/F-1		<b>SECURIO:</b> B22
	2	P-4/O-3/T-4/E-3/F-1		<b>SECURIO:</b> AF150, AF300, AF350, B24, B26, B32, <b>Pure:</b> 420, 530
	2-3	P-5/O-1/T-2/E-2/F-2		<b>shredstar:</b> X12pro
	2-3	P-5/T-5/E-4/F-2		<b>SECURIO:</b> AF150, AF300, AF350, B22, B24, B26, B32, <b>Pure:</b> 420, 530
	3	P-6/F-3		<b>SECURIO:</b> AF150, AF300, AF350, B22, B24, B26, B32
<b>Large office</b> <b>5 to 8 persons</b> Per cycle: <b>up to 40 sheets</b> Collection volume: <b>up to 130 litres</b>	1	P-2/O-2/T-2/E-2		<b>SECURIO:</b> B34, B35, <b>Pure:</b> 630
	2	P-4/O-3/T-4/E-3/F-1		<b>SECURIO:</b> AF500, B34, B35, <b>Pure:</b> 630
	2-3	P-5/T-5/E-4/F-2		<b>SECURIO:</b> AF500, B34, B35, <b>Pure:</b> 630
	3	P-6/F-3		<b>SECURIO:</b> AF500, B34, B35
	3	P-7/F-3		<b>SECURIO:</b> B34, B35



## Much easier than you would expect: Data protection with HSM!

Now find the right ISO/document shredder for your requirement.

## Using the ISO/IEC 21964 (DIN 66399) standard in practice:

### TIP!

1. **Determine the protection class** for the data you want to shred.
2. **Select the security level.** The protection class determined then offers you a choice of three security levels. The higher the security level you select, the smaller and therefore the more secure the shredded particles are.
3. **Check what type of data media** you need to deal with. Paper, CDs, magnetic storage, electronic storage, hard drives etc.
4. **Now connect data media and security level.** You can now use this information to select the appropriate document shredder.

Scope of application	Protection class	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Model
<b>Department 8 to 15 persons</b> Per cycle: <b>up to 80 sheets</b> Collection volume: <b>up to 205 litres</b>	1	P-2/O-2/T-2/E-2		<b>SECURIO:</b> P44i
	1	P-2/O-2/T-2/E-2		<b>SECURIO:</b> P36i, P40i, <b>Pure:</b> 940
	1	P-2/O-2/T-2/E-2		<b>Pure:</b> 740, 830
	2	P-4/O-3/T-4/E-3/F-1		<b>SECURIO:</b> P36i, <b>Pure:</b> 740, 830
	2	P-4/O-3/T-4/E-3/F-1		<b>SECURIO:</b> P40i, <b>Pure:</b> 940
	2	P-4/O-3/T-4/E-3/F-1		<b>SECURIO:</b> P44i
	2-3	P-5/T-5/E-4/F-2		<b>Pure:</b> 740
	2-3	P-5/O-4/T-5/E-4/F-2		<b>SECURIO:</b> P36i, P40i, <b>Pure:</b> 830, 940
	2-3	P-5/O-4/T-5/E-4/F-2		<b>SECURIO:</b> P44i
	3	P-6/T-6/E-5/F-3		<b>SECURIO:</b> P36i, P40i, P44i
<b>Separate cutting units</b>	2	O-4/T-5/E-4		CD cutting unit for <b>SECURIO:</b> P36i, P40i, P44i
	3	O-6/T-6/E-5		OMDD cutting unit for <b>SECURIO:</b> P36i, P40i, P44i
<b>Archives / central stations</b> Per cycle: <b>up to 550 sheets</b> Collection volume: <b>up to 530 litres</b>	1	P-1/O-1/T-1/E-1		<b>Powerline:</b> FA 400.2
	1	P-2/O-2/T-2/E-2		<b>Powerline:</b> FA 400.2
	1	P-2/O-2/T-2/E-2		<b>Powerline:</b> FA 500.3, SP 4040 V, SP 5080, SP 5088
	1-2	P-3/O-2/T-3/E-2		<b>Powerline:</b> FA 400.2, SP 4040 V
	1-2	P-3/O-2/T-3/E-2		<b>Powerline:</b> FA 500.3, SP 5080, SP 5088
	2	P-4		<b>Pure:</b> 740 max
	2	P-4/O-3/T-4/E-3/F-1		<b>Powerline:</b> FA 400.2, 450.2, FA 500.3, SP 4040 V, SP 5080, SP 5088
	2-3	P-5		<b>Pure:</b> 740 max
2-3	P-5/O-4/T-5/E-4/F-2		<b>Powerline:</b> 450.2, FA 500.3, SP 5080, SP 5088	
<b>Hard drives / Digital data media</b>	1-2	T-1/E-2/H-3		<b>StoreEx:</b> HDS 150
	1-2	O-1/T-2/E-2/H-4		<b>StoreEx:</b> HDS 230 – single-stage digital data media shredder
	2-3	O-3/T-3/E-2/H-5		<b>StoreEx:</b> HDS 230 – dual-stage digital data media shredder
	2-3	O-5/T-6/E-5		<b>StoreEx:</b> OMDD 130

Protection class	Security level					
	P	F	O	T	H	E
1	P-1	F-1	O-1	T-1	H-1	E-1
	P-2	F-2	O-2	T-2	H-2	E-2
	P-3	F-3	O-3	T-3	H-3	E-3
2	P-4	F-4	O-4	T-4	H-4	E-4
	P-5	F-5	O-5	T-5	H-5	E-5
	P-6	F-6	O-6	T-6	H-6	E-6
	P-7	F-7	O-7	T-7	H-7	E-7

### Shredding different types of data media securely.

You have documents with protection class 2 which need to be shredded. You select security level 4, as this involves strictly confidential personal data. The information is on paper and on DVDs, i.e. data media in the P and O categories. You need a document shredder which can shred both media types. The right security level for paper is P-4, and for DVDs O-3. To find the right document shredder, look for the combination P-4/O-3.



## Warranties and services

### A decisive advantage – HSM service

We are committed to providing excellent service and we are always delighted to help our customers. This not only applies to our headquarters but also to all HSM service centres in Germany, in Europe and all over the world.


#### Our warranties and services:

- All HSM SECURIO and Pure document shredders come with a warranty on the steel cutting rollers at security levels P-2 to P-5 for the entire lifetime of the machine (HSM Lifetime Warranty).
- Replacements or repairs are free-of-charge within the guarantee period.
- Money back within 14 days if the customer is not satisfied or an upgrade to a larger machine upon payment of the additional cost.

- Consulting service: individual product consulting, data protection advice, service support and advice on spare part requirements.
- Training and seminars on products, data protection and service.
- Consulting service for all products and data protection queries; please call +49 7554 2100-0 or send an email to [info@hsm.eu](mailto:info@hsm.eu).

Find out more about our services at:

[www.hsm.eu/en/service](http://www.hsm.eu/en/service)



replacement  
guarantee



money  
back



## HSM SECURIO document shredders

The premium range from HSM: maximum quality in design, convenience and function.

Page 16-29

HSM SECURIO  
document shredders



## HSM Pure document shredders

The innovative HSM Pure document shredders are the epitome of reliability thanks to their proven "Made in Germany" quality and solid design.

Page 31-38

HSM Pure  
document shredders



## HSM shredstar document shredders

Getting started in data protection: functional document shredders for the home or the small office.

Page 40-43

HSM shredstar  
document shredders



## HSM Powerline heavy duty document shredders

HSM Powerline shredders are designed for heavy duty applications destroying large quantities of data media.

Page 44-47

HSM Powerline heavy duty  
document shredders



## HSM Powerline shredder baler combinations

Compact disposal stations for the professional destruction and compression of very large amounts of data.

Page 48-51

HSM Powerline  
shredder baler combinations



## HSM StoreEx digital data media shredders

For secure and efficient shredding of hard drives, magnetic tapes up to 3.5", CDs/DVDs, Blu Rays, discs, credit and customer cards and USB sticks.

Page 52-55

HSM StoreEx  
digital data media shredders



## HSM ProfiPack packaging machines

The innovative and practical solution for transforming old boxes into new packaging material.

Page 56-57

HSM ProfiPack  
packaging machines



## HSM Consumable materials

Everything you need to operate your HSM machine: reusable collecting bags, lubricating oil, polyester tape, cardboard boxes.

Page 58

HSM  
Consumable materials



## HSM SECURIO document shredders

Are you looking for quality, durability and design? Then you have found the perfect answer with HSM SECURIO document shredders. You can expect the highest level of Made in Germany quality here. With a three year warranty on all HSM SECURIO models. Regardless of whether you have chosen the AF-series with automatic paper feed, the C-series for the home office, the B-series for the workplace or the P-series with IntelligentDrive for professional use: you are protected with shredders from HSM!



product  
warranty

3 years warranty for HSM SECURIO document shredders.



cutting roller  
warranty

Lifetime warranty on cutting rollers in HSM SECURIO document shredders at security levels P-2 to P-5. Cutting rollers are impervious to staples and paper clips.



Made in  
Germany

HSM produces the HSM SECURIO product line in Germany.



The HSM SECURIO document shredders (except AF100 / AF350) have been awarded the Blue Angel for low energy consumption, durable design and the avoidance of materials that are harmful to the environment.

[www.blauer-engel.de/uz174](http://www.blauer-engel.de/uz174)



## HSM SECURIO document shredders with automatic paper feed

**Innovative, convenient and time-saving.** The autofeed shredders of the AF-series with Nanogrip Technology combine functionality and operating convenience. For reliable and easy destruction of document stacks and single sheets.



### Time-saving and easy to use

Paper stacks of up to 500 sheets can be put into the magazine and destroyed automatically.



### Nanogrip Technology

The document shredders with autofeed have specially developed intake and transport rollers which use Nanogrip Technology. This enables sheet after sheet to be pulled in securely from the stack of paper.



### Useful dual function

Manual paper feeding is possible during autofeed stack processing.



### Lock-and-Go function

It is possible to secure the paper stack inserted into the magazine against unauthorized access by using the Lock-and-Go function (HSM SECURIO AF350 / AF500).



In stand-by mode, the document shredder does not consume any power (HSM SECURIO AF100). EcoSmart: exceptionally low power consumption of 0.1 Watts in stand-by mode (from HSM SECURIO AF150 upwards).



### HSM SECURIO AF100 document shredder with automatic paper feed

The simple and convenient method of data destruction for the home or small office. The document shredder with an automatic paper feed shreds stacks of paper of up to 100 sheets as well as single sheets of paper effortlessly whilst saving you time.

- Cutting rollers made of hardened steel with lifetime warranty.
- Paper feed with overload protection reduces paper jams.
- Quiet operation minimises noise development in the workplace.
- Practical automatic start/stop.
- Effortless emptying of the waste container via the removable housing top.
- Level indicator through inspection window.

Product number	Cutting size in mm	Cutting capacity manual intake / autofeed* in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material*	Weight in kg
2063811	4 x 25	5-6/100	P-4/T-4/E-3/F-1		7

Dimensions (W x D x H): 375 x 260 x 620 mm, Colour: white

Scope of delivery: Special lubricating oil (50 ml)


\*Autofeed paper tray is for paper only



### Consumable materials


Product number	For Model	Description
2491111	all AF-models	Replacement kit rollers
1235997403		Special lubricating oil (bottle 250 ml)

# HSM SECURIO document shredders with automatic paper feed



## Time-saving and easy to use

Paper stacks of up to 500 sheets can be put into the magazine and destroyed automatically.



## Nanogrip Technology

The document shredders with autofeed have specially developed intake and transport rollers which use Nanogrip Technology. This enables sheet after sheet to be pulled in securely from the stack of paper.



## Useful dual function

Manual paper feeding is possible during autofeed stack processing.



## Lock-and-Go function

It is possible to secure the paper stack inserted into the magazine against unauthorized access by using the Lock-and-Go function (HSM SECURIO AF350 / AF500).



EcoSmart: exceptionally low power consumption of 0.1 Watts in stand-by mode (from HSM SECURIO AF150 upwards).



610 W 35 l 240 mm

## HSM SECURIO AF150 document shredder with automatic paper feed

The simple and convenient method of data destruction in the workplace. The document shredder with an automatic paper feed shreds stacks of paper of up to 150 sheets as well as single sheets of paper effortlessly whilst saving you time.

- Cutting rollers made of hardened solid steel.
- Paper feed with overload protection reduces paper jams.
- Multifunction element for intuitive operation.
- Quiet operation minimises noise development in the workplace.
- Light barrier for automatic start/stop.
- A full bin is indicated optically and the removable waste container can be emptied effortlessly.
- Level indicator through inspection window.
- Mobile on castors.

Product number	Cutting size in mm	Cutting capacity manual intake / autofeed* in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material*	Weight in kg
2083811	4.5 x 30	8-10/150	P-4/O-3/T-4/E-3/F-1		18
2082811	1.9 x 15	6-7/150	P-5/T-5/E-4/F-2		18
2085811	0.78 x 11	5/150	P-6/F-3		19

Dimensions (W x D x H): 395 x 381 x 740 mm, Colour: white

Scope of delivery: Plastic bags (5 pieces), Special lubricating oil (50 ml)

\*Autofeed paper tray is for paper only



610 W 35 l 240 mm

## HSM SECURIO AF300 document shredder with automatic paper feed

The simple and convenient method of data destruction in the workplace. The document shredder with an automatic paper feed shreds stacks of paper of up to 300 sheets as well as single sheets of paper effortlessly whilst saving you time.

- Cutting rollers made of hardened solid steel.
- Paper feed with overload protection reduces paper jams.
- Multifunction element for intuitive operation.
- Quiet operation minimises noise development in the workplace.
- Light barrier for automatic start/stop.
- A full bin is indicated optically and the removable waste container can be emptied effortlessly.
- Level indicator through inspection window.
- Mobile on castors.

Product number	Cutting size in mm	Cutting capacity manual intake / autofeed* in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material*	Weight in kg
2093821	4.5 x 30	12-14/300	P-4/O-3/T-4/E-3/F-1		18
2092821	1.9 x 15	8-10/300	P-5/T-5/E-4/F-2		18
2095821	0.78 x 11	6/300	P-6/F-3		19

Dimensions (W x D x H): 395 x 381 x 740 mm, Colour: white

Scope of delivery: Plastic bags (5 pieces), Special lubricating oil (50 ml)

\*Autofeed paper tray is for paper only





610 W



35 l



240 mm



## HSM SECURIO AF350 document shredder with automatic paper feed

The simple and convenient method of data destruction in the workplace. The document shredder with an automatic paper feed and lockable stack protects inserted stacks of paper from unauthorised access and shreds stacks of paper of up to 350 sheets as well as single sheets of paper easily whilst saving you time.

- Cutting rollers made of hardened solid steel.
- Paper feed with overload protection reduces paper jams.
- Quiet operation minimises noise development in the workplace.
- Multifunction element for intuitive operation.
- Light barrier for automatic start/stop.
- A full bin is indicated optically and the removable waste container can be emptied effortlessly.
- Level indicator through inspection window.
- Mobile on castors.

Product number	Cutting size in mm	Cutting capacity manual intake / autofeed* in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material*	Weight in kg
2113811	4.5 x 30	12-14/350	P-4/O-3/T-4/E-3/F-1		19
2112811	1.9 x 15	8-10/350	P-5/T-5/E-4/F-2		19
2115811	0.78 x 11	6/350	P-6/F-3		19

Dimensions (W x D x H): 395 x 435 x 837 mm, Colour: white

Scope of delivery: Plastic bags (5 pieces), Special lubricating oil (50 ml)

\*Autofeed paper tray is for paper only



610 W



82 l



240 mm



## HSM SECURIO AF500 document shredder with automatic paper feed

The simple and convenient method of data destruction for work groups. The document shredder with an automatic paper feed and lockable stack protects inserted stacks of paper from unauthorised access and shreds stacks of paper of up to 500 sheets as well as single sheets of paper easily whilst saving you time.

- Cutting rollers made of hardened solid steel.
- Paper feed with overload protection reduces paper jams.
- Quiet operation minimises noise development in the workplace.
- Multifunction element for intuitive operation.
- Light barrier for automatic start/stop.
- Optical display and shut down if the bin is full. Convenient removal and emptying of the collecting bag from the wooden cabinet with door.
- Level indicator through inspection window.
- Mobile on castors.

Product number	Cutting size in mm	Cutting capacity manual intake / autofeed* in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material*	Weight in kg
2103811	4.5 x 30	14-16/500	P-4/O-3/T-4/E-3/F-1		29
2102811	1.9 x 15	9-11/500	P-5/T-5/E-4/F-2		29
2105811	0.78 x 11	6/500	P-6/F-3		30

Dimensions (W x D x H): 497 x 491 x 1002 mm, Colour: white

Scope of delivery: Plastic bags (5 pieces), Cardboard box (1 piece), Special lubricating oil (50 ml)

\*Autofeed paper tray is for paper only



## Consumable materials

Product number	For Model	Description
2491111	all AF-models	Replacement kit rollers
1661995150	AF150 / AF300 / AF350	Plastic bags (PU 10 pcs.)
1661995050	AF150 / AF300 / AF350	Plastic bags (PU 100 pcs.)
1330995100	AF500	Plastic bags (PU 10 pcs.)
1330995000	AF500	Plastic bags (PU 100 pcs.)
1820995200	AF500	Cardboard box (PU 1 pc.)
1235997403		Special lubricating oil (bottle 250 ml)



## HSM SECURIO document shredders for the home or small office

**Space-saving, efficient and secure.** The C-series impresses with its appealing compact design and ease of use. Perfect for document shredding at the office or at home.



### Quiet operation

The quiet operation minimises noise development in the workplace.



### Anti-paper jam function

The paper feed with overload protection reduces paper jams and sustains the high throughput of paper.



### High level of user safety

A slight pressure on the safety element immediately stops the paper feed and prevents unintentional entry into the machine.



### Automatic start/stop

The operation is very easy: the device starts automatically when fed paper and automatically stops after shredding is complete.



The document shredder uses no electricity in stand-by (HSM SECURIO C14/C16).

EcoSmart: exceptionally low power consumption of 0.1 Watts in stand-by mode (from HSM SECURIO C18 upwards).



### HSM SECURIO C14 document shredder

Space-saving, quiet and reliable: the shredder for your home office. No power use in stand-by, has a high degree of user safety – and all of this in a great, modern design.

- Cutting rollers made of hardened steel with lifetime warranty.
- Effortless emptying of the waste container via the removable housing top.



Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
2250811	3.9	10-12	P-2/T-2/E-2		4
2253811	4 x 25	5-6	P-4/T-4/E-3/F-1		5

Dimensions (W x D x H): 366 x 258 x 405 mm, Colour: white

Scope of delivery: Special lubricating oil (50 ml) for particle cut version



### Consumable materials

Product number	Description
1235997403	Special lubricating oil (bottle 250 ml)



185 W



25 l



225 mm



### HSM SECURIO C16 document shredder

Small, sleek and secure. A great shredder for private use or in a small office. With cutting rollers made from hardened steel and a pressure-sensitive safety element.

- Cutting rollers made of hardened steel with lifetime warranty.
- Effortless emptying of the waste container via the removable housing top.
- Level indicator through inspection window.



Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
1901811	5.8	15-17	P-2/T-2/E-2		4
1900811	3.9	12-14	P-2/T-2/E-2		4
1902811	4 x 25	6-7	P-4/T-4/E-3/F-1		5

Dimensions (W x D x H): 366 x 258 x 455 mm, Colour: white

Scope of delivery: Special lubricating oil (50 ml) for particle cut version



360 W



25 l



230 mm



### HSM SECURIO C18 document shredder

Compact, functional and convenient. With cutting rollers made from hardened steel and a pressure-sensitive safety element. The quiet document shredder with a removable waste container – for demanding users in the private sector or small office.

- Cutting rollers made of hardened steel with lifetime warranty.
- Multifunction element for intuitive operation.
- A full bin is indicated optically and the removable waste container can be emptied effortlessly.
- Level indicator through inspection window.



Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
1911821	5.8	17-19	P-2/O-2/T-2/E-2		10
1910821	3.9	13-15	P-2/T-2/E-2		10
1913821	3.9 x 30	8-9	P-4/T-4/E-3/F-1		11
1912821	1.9 x 15	6-7	P-5/T-5/E-4/F-2		11

Dimensions (W x D x H): 365 x 280 x 542 mm, Colour: white

Scope of delivery: Special lubricating oil (50 ml) for particle cut versions



### Consumable materials

Product number	Description
1235997403	Special lubricating oil (bottle 250 ml)



## HSM SECURIO document shredders for the workplace

**Economical, reliable and versatile.** The B-series impresses with its high level of performance and maximum functionality. The product range offers document shredders for the workplace or small working groups of up to five people.



### Solid steel cutting rollers

The induction-hardened, solid steel cutting rollers with a lifetime warranty in security levels P-2 to P-5 can easily cope with staples and paper clips and guarantee durability.



### For continuous operation

The powerful motor ensures a high cutting capacity and reliable continuous operation.



### High level of user safety

The safety element prevents unintentional entry of materials into the machine and thereby increases user safety.



### Automatic start/stop

The operation is very easy: An integrated light barrier automatically starts the device when paper is introduced into the feed and it automatically stops after shredding is complete.

**EcoSmart:** exceptionally low power consumption of 0.1 Watts in stand-by mode.

For a consistently high cutting performance, this low maintenance document shredder has an external automatic oiler as an option (from HSM SECURIO B24 upwards).

440 W

33 l

240 mm

### HSM SECURIO B22 document shredder

Data security made easy! The powerful entry level model of the B-series for the workplace. With automatic start/stop and overload protection. The waste container can be easily removed and emptied.

- Quiet operation minimises noise development in the workplace.
- Paper feed with overload protection reduces paper jams.
- Multifunction element for intuitive operation.
- A full bin is indicated optically and the removable waste container can be emptied effortlessly.
- Level indicator through inspection window.



Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
1831821	5.8	17-19	P-2/O-2/T-2/E-2		11
1830821	3.9	13-15	P-2/T-2/E-2		11
1833821	3.9 x 30	9-11	P-4/T-4/E-3/F-1		13
1832821	1.9 x 15	7-9	P-5/T-5/E-4/F-2		12
1835821	0.78 x 11	4-5	P-6/F-3		12

Dimensions (W x D x H): 375 x 310 x 600 mm, Colour: white

Scope of delivery: Plastic bags (5 pieces), Special lubricating oil (50 ml) for particle cut versions



### Consumable materials

Product number	For Model	Description
1661995150	B22	Plastic bags (PU 10 pcs.)
1661995050	B22	Plastic bags (PU 100 pcs.)
1235997403		Special lubricating oil (bottle 250 ml)



610 W 35 l 240 mm



## HSM SECURIO B24 document shredder

For increased data security in a modern design. This quiet document shredder with an anti-paper jam function and powerful drive components is designed for continuous operation. We recommend it for use in the workplace.

- Quiet operation minimises noise development in the workplace.
- Paper feed with overload protection reduces paper jams.
- Multifunction element for intuitive operation.
- A full bin is indicated optically and the removable waste container can be emptied effortlessly.
- Mobile on castors.
- Level indicator through inspection window.

Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
1781811	5.8	25-27	P-2/O-2/T-2/E-2		15
1780811	3.9	19-21	P-2/O-2/T-2/E-2		15
1783811	4.5 x 30	14-16	P-4/O-3/T-4/E-3/F-1		19
1782811	1.9 x 15	9-11	P-5/T-5/E-4/F-2		16
1785811	0.78 x 11	6	P-6/F-3		21
1784811	1 x 5	4	P-7/F-3		21

Dimensions (W x D x H): 395 x 317 x 605 mm, Colour: white

Scope of delivery: Plastic bags (5 pieces), Special lubricating oil (50 ml) for particle cut versions



610 W 55 l 310 mm



## HSM SECURIO B26 document shredder

Data security at the highest level. Thanks to the smooth and powerful cutting system, this document shredder is particularly suitable for data destruction in the workplace or for small working groups.

- Quiet operation minimises noise development in the workplace.
- Paper feed with overload protection reduces paper jams.
- Multifunction element for intuitive operation.
- Convenient removal and emptying of the collecting bag.
- High quality, robust and mobile thanks to the wooden cabinet with castors.
- Level indicator through inspection window.

Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
1801811	5.8	25-27	P-2/O-2/T-2/E-2		24
1800811	3.9	19-21	P-2/O-2/T-2/E-2		24
1803811	4.5 x 30	14-16	P-4/O-3/T-4/E-3/F-1		26
1802811	1.9 x 15	9-11	P-5/T-5/E-4/F-2		27
1805811	0.78 x 11	6	P-6/F-3		28
1804811	1 x 5	4	P-7/F-3		28

Dimensions (W x D x H): 497 x 397 x 676 mm, Colour: white

Scope of delivery: Plastic bags (5 pieces), Special lubricating oil (50 ml) for particle cut versions



### Options

Product number	For Model	Description
Product number + O	B24 / B26, all particle cut versions	Automatic oiler for cutting unit 250 ml

### Consumable materials

Product number	For Model	Description
1661995150	B24	Plastic bags (PU 10 pcs.)
1661995050	B24	Plastic bags (PU 100 pcs.)
1330995100	B26	Plastic bags (PU 10 pcs.)
1330995000	B26	Plastic bags (PU 100 pcs.)
1235997403		Special lubricating oil (bottle 250 ml)

# HSM SECURIO document shredders for the workplace



## Solid steel cutting rollers

The induction-hardened, solid steel cutting rollers with a lifetime warranty in security levels P-2 to P-5 can easily cope with staples and paper clips and guarantee durability.



## For continuous operation

The powerful motor ensures a high cutting capacity and reliable continuous operation.



## High level of user safety

The safety element prevents unintentional entry of materials into the machine and thereby increases user safety.



## Automatic start/stop

The operation is very easy: An integrated light barrier automatically starts the device when paper is introduced into the feed and it automatically stops after shredding is complete.



EcoSmart: exceptionally low power consumption of 0.1 Watts in stand-by mode.



For a consistently high cutting performance, this low maintenance document shredder has an external automatic oiler as an option.



610 W



82 l



310 mm



## HSM SECURIO B32 document shredder

High quality materials, proven quality – the reliable security partner in the workplace. With an intake width of 310 mm, the document shredder effortlessly shreds DIN A3 paper. It is the perfect device for working groups.

- Quiet operation minimises noise development in the workplace.
- Paper feed with overload protection reduces paper jams.
- Multifunction element for intuitive operation.
- Convenient removal and emptying of the collecting bag.
- Reusable cardboard box as bin for shredded material.
- High quality, robust and mobile thanks to the wooden cabinet with castors.
- Level indicator through inspection window.



Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
1821811	5.8	25-27	P-2/O-2/T-2/E-2		26
1820811	3.9	19-21	P-2/O-2/T-2/E-2		26
1823811	4.5 x 30	14-16	P-4/O-3/T-4/E-3/F-1		27
1822811	1.9 x 15	9-11	P-5/T-5/E-4/F-2		27
1825811	0.78 x 11	6	P-6/F-3		27
1824811	1 x 5	4	P-7/F-3		27

Dimensions (W x D x H): 497 x 398 x 793 mm, Colour: white

Scope of delivery: Plastic bags (5 pieces), Cardboard box (1 piece), Special lubricating oil (50 ml) for particle cut versions



## Options

Product number	For Model	Description
Product number + O	B32, all particle cut versions	Automatic oiler for cutting unit 250 ml

## Consumable materials

Product number	For Model	Description
1330995100	B32	Plastic bags (PU 10 pcs.)
1330995000	B32	Plastic bags (PU 100 pcs.)
1820995200	B32	Cardboard box (PU 1 pc.)
1235997403		Special lubricating oil (bottle 250 ml)



## HSM SECURIO document shredders for the large office

**Elegant, reliable and powerful.** The B-series shredders with a large bin capacity are characterized by a robust construction with maximum functionality. This range of document shredders is designed for use by up to eight people.



### Solid steel cutting rollers

The induction-hardened, solid steel cutting rollers with a lifetime warranty in security levels P-2 to P-5 can easily cope with staples and paper clips and guarantee durability.



### For continuous operation

The powerful motor ensures a high cutting capacity and reliable continuous operation.



### High level of user safety

The safety element prevents unintentional entry of materials into the machine and thereby increases user safety.



### Convenient emptying

After opening the door, the reusable collecting bag can be easily removed and emptied.



EcoSmart: exceptionally low power consumption of 0.1 Watts in stand-by mode.



For a consistently high cutting performance, this low maintenance document shredder has an external automatic oiler as an option.



### HSM SECURIO B34 document shredder

This premium document shredder in an elegant design provides for data security in an open-plan office. Thanks to the powerful drive, it reliably and quietly shreds the incoming data of up to eight people.

- Quiet operation minimises noise development in the workplace.
- Paper feed with overload protection reduces paper jams.
- Reusable cardboard box as bin for shredded material.
- Multifunction element for intuitive operation.
- Light barrier for automatic start/stop.
- High quality, robust and mobile thanks to the wooden cabinet with castors.
- Level indicator through inspection window.



Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
1841811	5.8	30-32	P-2/O-2/T-2/E-2		35
1840811	3.9	25-27	P-2/O-2/T-2/E-2		35
1843811	4.5 x 30	20-22	P-4/O-3/T-4/E-3/F-1		42
1842811	1.9 x 15	13-15	P-5/T-5/E-4/F-2		42
1845811	0.78 x 11	8	P-6/F-3		42
1844811	1 x 5	5	P-7/F-3		42

Dimensions (W x D x H): 541 x 439 x 845 mm, Colour: white

Scope of delivery: Plastic bags (5 pieces), Cardboard box (1 piece), Special lubricating oil (50 ml) for particle cut versions



### Options

Product number	For Model	Description
Product number + O	B34, all particle cut versions	Automatic oiler for cutting unit 250 ml

### Consumable materials

Product number	For Model	Description
1410995100	B34	Plastic bags (PU 10 pcs.)
1410995000	B34	Plastic bags (PU 100 pcs.)
1840995200	B34	Cardboard box (PU 1 pc.)
1235997403		Special lubricating oil (bottle 250 ml)

# HSM SECURIO document shredders for the large office



## Solid steel cutting rollers

The induction-hardened, solid steel cutting rollers with a lifetime warranty in security levels P-2 to P-5 can easily cope with staples and paper clips and guarantee durability.



## For continuous operation

The powerful motor ensures a high cutting capacity and reliable continuous operation.



## High level of user safety

The safety element prevents unintentional entry of materials into the machine and thereby increases user safety.



## Convenient emptying

After opening the door, the reusable collecting bag can be easily removed and emptied.



EcoSmart: exceptionally low power consumption of 0.1 Watts in stand-by mode.



For a consistently high cutting performance, this low maintenance document shredder has an external automatic oiler as an option.



## HSM SECURIO B35 document shredder

For more data security in the workplace. The excellent document shredder with an intake width of 400 mm for professional data destruction in an open-plan office for up to eight people.

- Quiet operation minimises noise development in the workplace.
- Paper feed with overload protection reduces paper jams.
- Reusable cardboard box as bin for shredded material.
- Multifunction element for intuitive operation.
- Light barrier for automatic start/stop.
- High quality, robust and mobile thanks to the wooden cabinet with castors.
- Level indicator through inspection window.



Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
1921811	5.8	35-37	P-2/O-2/T-2/E-2		48
1920811	3.9	26-28	P-2/O-2/T-2/E-2		48
1923811	4.5 x 30	21-22	P-4/O-3/T-4/E-3/F-1		54
1922811	1.9 x 15	14-15	P-5/T-5/E-4/F-2		53
1925811	0.78 x 11	9	P-6/F-3		54
1924811	1 x 5	5	P-7/F-3		54

Dimensions (W x D x H): 620 x 525 x 870 mm, Colour: white

Scope of delivery: Plastic bags (5 pieces), Cardboard box (1 piece), Special lubricating oil (50 ml) for particle cut versions



## Options

Product number	For Model	Description
Product number + O	B35, all particle cut versions	Automatic oiler for cutting unit 250 ml

## Consumable materials

Product number	For Model	Description
1442995110	B35	Plastic bags (PU 10 pcs.)
1442995000	B35	Plastic bags (PU 100 pcs.)
1920995200	B35	Cardboard box (PU 1 pc.)
1235997403		Special lubricating oil (bottle 250 ml)



## HSM SECURIO document shredders for the department

**Data destruction at the highest level.** The shredders in the Professional series are equipped with the impressive and innovative IntelligentDrive motor and operating technologies – up to 40 % more performance, intelligent prevention of paper jams and a reduced operating noise level. Perfect for large working groups of up to fifteen people.



### Touch display

Intuitive operation and multi-language menu selection via the high resolution 4,3" touch display.



### IntelligentDrive

The innovative IntelligentDrive motor and operating technology offers Silent, Standard and Performance operating modes for destroying data efficiently and conveniently.



### Super Silent

You will be amazed! In Silent operating mode, the document shredder is up to 30 % quieter than in Standard operating mode – and therefore by far our quietest document shredder!



### Intelligent paper jam prevention

The machine recognises very quickly if too much paper has been fed in and reacts autonomously.



EcoSmart: exceptionally low power consumption of 0,1 Watts in stand-by mode.



This maintenance friendly document shredder has an **integrated automatic oiler** which ensures that you have a consistently high cutting capacity.



### HSM SECURIO P36i document shredder

Top class, professional data destruction! This document shredder impresses with its innovative IntelligentDrive motor and operating technology and incorporates a touch screen display. Perfect for large working groups of up to fifteen people.

- Cutting rollers made of hardened solid steel.
- Powerful motor for continuous operation.
- The device automatically switches off if pressure is applied to the safety element.
- Light barrier for automatic start/stop.
- Convenient removal and emptying of the collecting bag.
- Reusable cardboard box as bin for shredded material.
- High quality, robust and mobile thanks to the wooden cabinet with castors.
- Level indicator through inspection window.

Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
1851121	5.8	43-45	P-2/O-2/T-2/E-2		64
1850121	3.9	34-36	P-2/O-2/T-2/E-2		64
1853121	4.5 x 30	27-29	P-4/O-3/T-4/E-3/F-1		68
1852121	1.9 x 15	16-18	P-5/O-4/T-5/E-4/F-2		68
1855121	0.78 x 11	11-13	P-6/T-6/E-5/F-3		68
1854121	1 x 5	8	P-7/F-3		68

Dimensions (W x D x H): 580 x 550 x 1020 mm, Colour: white

Scope of delivery: Plastic bags (5 pieces), Cardboard box (1 piece), Special lubricating oil (250 ml) for particle cut versions



Options and Consumable materials: see HSM SECURIO P40i on page 29

# HSM SECURIO document shredders for the department



## Touch display

Intuitive operation and multi-language menu selection via the high resolution 4,3" touch display.



## IntelligentDrive

The innovative IntelligentDrive motor and operating technology offers Silent, Standard and Performance operating modes for destroying data efficiently and conveniently.



## Super Silent

You will be amazed! In Silent operating mode, the document shredder is up to 30 % quieter than in Standard operating mode – and therefore by far our quietest document shredder!



## Intelligent paper jam prevention

The machine recognises very quickly if too much paper has been fed in and reacts autonomously.



EcoSmart: exceptionally low power consumption of 0.1 Watts in stand-by mode.



This maintenance friendly document shredder has an **integrated automatic oiler** which ensures that you have a consistently high cutting capacity.



1300 W 145 l 330 mm

## HSM SECURIO P40i document shredder

Powerful data destruction with a high throughput performance. This document shredder impresses with its innovative IntelligentDrive motor and touch screen operating panel. Perfect for large working groups of up to fifteen people.

- Cutting rollers made of hardened solid steel.
- Powerful motor for continuous operation.
- The device automatically switches off if pressure is applied to the safety element.
- Light barrier for automatic start/stop.
- Convenient removal and emptying of the collecting bag.
- Reusable cardboard box as bin for shredded material.
- High quality, robust and mobile thanks to the wooden cabinet with castors.
- Level indicator through inspection window.

Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
1881121	5.8	56-58	P-2/O-2/T-2/E-2		67
1880121	3.9	44-46	P-2/O-2/T-2/E-2		67
1883121	4.5 x 30	34-36	P-4/O-3/T-4/E-3/F-1		72
1882121	1.9 x 15	19-21	P-5/O-4/T-5/E-4/F-2		72
1885121	0.78 x 11	13-15	P-6/T-6/E-5/F-3		72
1884121	1 x 5	9	P-7/F-3		72


Dimensions (W x D x H): 580 x 550 x 1020 mm, Colour: white

Scope of delivery: Plastic bags (5 pieces), Cardboard box (1 piece), Special lubricating oil (250 ml) for particle cut versions

**Note:** the document shredders with particle cut 4.5 x 30 mm and 1.9 x 15 mm plus option "Separate CD cutting unit (4 x 7 mm)" are part of the stock range, delivery time: 1-2 days, to be ordered as Product number + C.

## With these options the HSM SECURIO P36i / P40i / P44i document shredders become even more secure

+ **Option + C**  
**Separate CD cutting unit**  
(4 x 7 mm)



### Separate CD-/OMDD cutting unit

The HSM SECURIO P-series document shredders with the option CD or OMDD have a separate waste bin. The shredded material is therefore segregated and can be cleanly sorted for disposal.



+ **Option + M**  
**Separate OMDD cutting unit**  
(2 x 2 mm)





1900 W



205 l



400 mm



## HSM SECURIO P44i document shredder

The top document shredder in the HSM SECURIO P-series range with IntelligentDrive and touch display. This powerhouse with 205 litres of collection volume reliably processes large amounts of paper and is therefore optimal as a department document shredder.

- Cutting rollers made of hardened solid steel.
- Powerful motor for continuous operation.
- The device automatically switches off if pressure is applied to the safety element.
- Light barrier for automatic start/stop.
- Convenient removal and emptying of the collecting bag.
- Reusable cardboard box as bin for shredded material.
- High quality, robust and mobile thanks to the wooden cabinet with castors.
- Level indicator through inspection window.



Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
1871121	5.8	77-79	P-2/O-2/T-2/E-2		105
1870121	3.9	61-63	P-2/O-2/T-2/E-2		105
1873121	3,9 x 40	43-45	P-4/O-3/T-4/E-3/F-1		105
1872121	1.9 x 15	25-27	P-5/O-4/T-5/E-4/F-2		105
1875121	0.78 x 11	17-19	P-6/T-6/E-5/F-3		105
1874121	1 x 5	11	P-7/F-3		105

Dimensions (W x D x H): 700 x 592 x 1105 mm, Colour: white

Scope of delivery: Plastic bags (5 pieces), Cardboard box (1 piece), Special lubricating oil (250 ml) for particle cut versions



### Options

Product number	For Model	Description	Security level ISO/IEC 21964 (DIN 66399)
Product number + C	P36i / P40i / P44i, particle cut versions 4.5 x 30 mm, 3.9 x 40 mm and 1.9 x 15 mm	Separate CD cutting unit (4 x 7 mm)	O-4/T-5/E-4
Product number + M	P36i / P40i / P44i, particle cut versions 0.78 x 11 mm and 1 x 5 mm	Separate OMDD cutting unit (2 x 2 mm)	O-6/T-6/E-5
Product number + N	P36i / P40i / P44i, particle cut versions 0.78 x 11 mm and 1 x 5 mm	Separate OMDD cutting unit (2 x 2 mm) and metal detection	O-6/T-6/E-5

### Consumable materials

Product number	For Model	Description
1442995110	P36i / P40i	Plastic bags (PU 10 pcs.)
1442995000	P36i / P40i	Plastic bags (PU 100 pcs.)
1850995200	P36i / P40i	Cardboard box (PU 1 pc.)
1452995000	P44i	Plastic bags (PU 25 pcs.)
1870995200	P44i	Cardboard box (PU 1 pc.)
1235997403		Special lubricating oil (bottle 250 ml)



### Option + N Metal detection

The document shredder can be equipped with a metal detector as an option. The automatic switch-off means that damage to the cutting unit from paper clips or other metal parts can be avoided.


# HSM – My document shredder

**Each one of us has a good reason to destroy old documents.**

The students, starting out on their professional careers who want to get rid of training or study documents; the employee who finally wants to have his own company and who wants to protect his business concept; the artisan who wants to ensure

his old quotes, receipts and invoices are securely destroyed. Each of them needs exactly the right document shredder. And HSM has it!

**HSM – My document shredder.**




*Because discretion is vital.*

Frank J., Tax Adviser


Find the document shredder which suits you!



Maria T.,  
Doctor



Angelique K.,  
Hotel Manager



Lucy W.,  
Student



Daria M.,  
Junior Art Director


## Shred – don't bin. With HSM document shredders.




Stefan K.,  
Carpenter

Why did it have to be me?  
I disposed of my designs in the waste paper container. Years later I found the furniture items that I designed being sold in a furniture store. It's the first and last time that happens to me! From now on, all my designs and sketches will go straight into an HSM document shredder.

Why did it have to be me?  
A routine annual audit conducted by our data protection officer revealed that our processes did not comply with the EU-GDPR provisions. It's the first and last time that happens to me! From now on, all hard copies which are no longer needed will go straight into an HSM document shredder.



Mei Wong,  
Personnel Manager



Dr. Albert E.,  
Laboratory Manager



[www.hsm.eu/data-protection](http://www.hsm.eu/data-protection)



## HSM Pure document shredders

The innovative HSM Pure document shredder line is not only the epitome of reliability because of its proven "Made in Germany" quality and solid construction, it also impresses with its timeless modern design and easy operation. With a clever combination of traditional engineering and modern design, the shredder range from compact units that sit next to a desk to large powerful document shredders for working groups and entire departments. Document shredders from the HSM Pure product range are the perfect data protection companions.



cutting roller  
warranty

Lifetime warranty on cutting rollers in HSM Pure document shredders. Cutting rollers are impervious to staples and paper clips.



Made in  
Germany

HSM produces the HSM Pure product line in Germany.



## HSM Pure document shredders for the home or the small office

**Unbelievably compact. Always a top performance.**  
HSM Pure document shredders for the home or the small office. For people who have to shred confidential documents at their desks.



### Quiet operation

The quiet operation minimises noise development in the workplace.



### Automatic start/stop

The operation is very easy: the device starts automatically when fed paper and automatically stops after shredding is complete.



### Anti-paper jam function

The paper feed with overload protection reduces paper jams and sustains the high throughput of paper.



### High level of user safety

A slight pressure on the safety element immediately stops the paper feed and prevents unintentional entry into the machine.



The stand-by feature ensures a high degree of energy saving when the shredder is not in use.



### HSM Pure 120 document shredder

Data protection begins at the desk. The compact document shredder shreds personalised advertising, correspondence of all kinds, receipts and payment documents safely and reliably.

- Cutting rollers made of hardened steel with lifetime warranty.
- Effortless emptying of the waste container via the removable housing top.



Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
2310811	3.9	10-12	P-2/T-2/E-2		4
2313811	4 x 25	5-6	P-4/T-4/E-3/F-1		5

Dimensions (W x D x H): 366 x 258 x 415 mm, Colour: white

Scope of delivery: Special lubricating oil (50 ml) for particle cut version



### Consumable materials

Product number	Description
1235997403	Special lubricating oil (bottle 250 ml)



185 W



25 l



225 mm



### HSM Pure 220 document shredder

For added data protection at your desk or in the home office. This document shredder with sturdy steel cutting rollers can handle staples and paper clips and even shreds magnetic cards and credit cards in no time at all.

- Cutting rollers made of hardened steel with lifetime warranty.
- Effortless emptying of the waste container via the removable housing top.

Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
2320811	3.9	12-14	P-2/T-2/E-2		4
2323811	4 x 25	6-7	P-4/T-4/E-3/F-1		5

Dimensions (W x D x H): 366 x 258 x 466 mm, Colour: white

Scope of delivery: Special lubricating oil (50 ml) for particle cut version



360 W



25 l



230 mm



### HSM Pure 320 document shredder

An asset to the small office. This timeless, modern document shredder is quiet in operation and perfect for the workplace. With a lifetime warranty on the sturdy steel cutting rollers and energy saving management with stand-by operation.

- Cutting rollers made of hardened steel with lifetime warranty.
- Removable waste container for effortless emptying.
- Optical display and shut down if the bin is full.
- Level indicator through inspection window.

Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
2331821	5.8	17-19	P-2/O-2/T-2/E-2		10
2330821	3.9	13-15	P-2/T-2/E-2		10
2333821	3.9 x 30	8-9	P-4/T-4/E-3/F-1		11

Dimensions (W x D x H): 365 x 255 x 556 mm, Colour: white

Scope of delivery: Special lubricating oil (50 ml) for particle cut version



### Consumable materials

Product number	Description
1235997403	Special lubricating oil (bottle 250 ml)



## HSM Pure document shredders for the workplace

**Simple elegance. Absolute security.** The HSM Pure document shredders for the workplace. For professional users who shred important business documents or personal data in the office or in small working groups.



### Solid steel cutting rollers

The hardened steel cutting rollers with a lifetime warranty can easily cope with staples and paper clips and guarantee durability.



### Quiet continuous operation

The powerful motor ensures a high cutting capacity and reliable continuous operation.



### Effortless emptying

The waste container can be easily removed and emptied (HSM Pure 420). Convenient emptying thanks to the high-quality wooden cabinet with door and pull-out reusable collecting bag (from HSM Pure 530 upwards).



### High level of user safety

A slight pressure on the safety element immediately stops the paper feed and prevents unintentional entry into the machine.



The stand-by feature ensures a high degree of energy saving when the shredder is not in use.



610 W    35 l    240 mm

### HSM Pure 420 document shredder

Made for everyday office use. This document shredder with a powerful motor and quiet continuous operation shreds even large quantities of paper easily and reliably.

- Paper feed with overload protection reduces paper jams.
- Level indicator through inspection window.
- Light barrier for automatic start/stop.
- Mobile on castors.
- Optical display and shut down if the bin is full.

Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
2341811	5.8	22-24	P-2/O-2/T-2/E-2		18
2340811	3.9	17-19	P-2/O-2/T-2/E-2		18
2343811	4.5 x 30	13-15	P-4/O-3/T-4/E-3/F-1		21
2342811	1.9 x 15	9-11	P-5/T-5/E-4/F-2		21

Dimensions (W x D x H): 397 x 293 x 621 mm, Colour: white

Scope of delivery: Plastic bags (5 pieces), Special lubricating oil (50 ml) for particle cut versions



### Consumable materials

Product number	For Model	Description
1661995150	420	Plastic bags (PU 10 pcs.)
1661995050	420	Plastic bags (PU 100 pcs.)
1235997403		Special lubricating oil (bottle 250 ml)



610 W



80 l



300 mm



### HSM Pure 530 document shredder

Perfect mobile document shredder for small working groups. Demanding users appreciate the optimally tuned cutting components, the large bin volume and the quiet shredding of documents up to DIN A3 size in continuous operation.

- Paper feed with overload protection reduces paper jams.
- Optical display and shut down if the bin is full.
- Light barrier for automatic start/stop.
- Mobile on castors.

Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
2351811	5.8	25-27	P-2/O-2/T-2/E-2		27
2350811	3.9	19-21	P-2/O-2/T-2/E-2		27
2353811	4.5 x 30	14-16	P-4/O-3/T-4/E-3/F-1		30
2352811	1.9 x 15	9-11	P-5/T-5/E-4/F-2		30

Dimensions (W x D x H): 497 x 362 x 716 mm, Colour: white

Scope of delivery: Plastic bags (5 pieces), Special lubricating oil (50 ml) for particle cut versions



700 W



130 l



310 mm



### HSM Pure 630 document shredder

Solid and reliable document shredder with a large waste bin for small workgroups. The powerful motor with overload protection shreds documents, loyalty cards and credit cards in continuous operation safely and reliably.

- Paper feed with overload protection reduces paper jams.
- Optical display and shut down if the bin is full.
- Light barrier for automatic start/stop.
- Mobile on castors.

Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
2360811	3.9	26-28	P-2/O-2/T-2/E-2		43
2363811	4.5 x 30	20-22	P-4/O-3/T-4/E-3/F-1		48
2362811	1.9 x 15	13-15	P-5/T-5/E-4/F-2		48

Dimensions (W x D x H): 538 x 487 x 889 mm, Colour: white

Scope of delivery: Plastic bags (5 pieces), Special lubricating oil (50 ml) for particle cut versions



### Consumable materials

Product number	For Model	Description
1330995100	530	Plastic bags (PU 10 pcs.)
1330995000	530	Plastic bags (PU 100 pcs.)
1442995110	630	Plastic bags (PU 10 pcs.)
1442995000	630	Plastic bags (PU 100 pcs.)
1235997403		Special lubricating oil (bottle 250 ml)

HSM SECURIO document shredders

HSM Pure document shredders

HSM shredstar document shredders

HSM Powerline heavy duty document shredders

HSM Powerline shredder baler combinations

HSM StoreEx digital data media shredders

HSM ProfiPack packaging machines

HSM Consumable materials



## HSM Pure document shredders for the department

**Convincingly powerful. Unbelievably economical.**

The HSM Pure document shredders for the department. For multiple users who process large quantities of data media with sensitive, company or confidential information frequently and who need to shred the data securely and reliably in-house.



### Solid steel cutting rollers

The hardened steel cutting rollers with a lifetime warranty can easily cope with staples and paper clips and guarantee durability.



### Quiet continuous operation

The powerful motor ensures a high cutting capacity and reliable continuous operation.



### Effortless emptying

Convenient emptying thanks to the high-quality wooden cabinet with door and pull-out reusable collecting bag. Can be moved on castors.



### High level of user safety

A slight pressure on the safety element immediately stops the paper feed and prevents unintentional entry into the machine.



The stand-by feature ensures a high degree of energy saving when the shredder is not in use.



### HSM Pure 740 document shredder

The powerful shredder for the department. The sturdy and powerful cutting unit with a wide input width for paper up to DIN A3 impresses with its high cutting performance and low noise level in continuous operation.

- Paper feed with overload protection reduces paper jams.
- Optical display and shut down if the bin is full.
- Light barrier for automatic start/stop.



Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
2371811	5.8	35-37	P-2/O-2/T-2/E-2		48
2370811	3.9	26-28	P-2/O-2/T-2/E-2		48
2373811	4.5 x 30	21-22	P-4/O-3/T-4/E-3/F-1		54
2372811	1.9 x 15	14-15	P-5/T-5/E-4/F-2		54

Dimensions (W x D x H): 620 x 487 x 889 mm, Colour: white

Scope of delivery: Plastic bags (5 pieces), Special lubricating oil (50 ml) for particle cut versions



### Consumable materials

Product number	For Model	Description
1442995110	740	Plastic bags (PU 10 pcs.)
1442995000	740	Plastic bags (PU 100 pcs.)
1235997403		Special lubricating oil (bottle 250 ml)



### HSM Pure 830 document shredder

The particularly powerful data shredder for the department. The robust and powerful cutting unit for large quantities of paper has an impressive throughput in continuous operation.

- Paper feed with overload protection reduces paper jams.
- Optical display and shut down if the bin is full.
- Light barrier for automatic start/stop.



Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
2380831	3.9	42-44	P-2/O-2/T-2/E-2		68
2383831	4.5 x 30	33-35	P-4/O-3/T-4/E-3/F-1		73
2382831	1.9 x 15	19-21	P-5/O-4/T-5/E-4/F-2		74

Dimensions (W x D x H): 579 x 548 x 954 mm, Colour: white

Scope of delivery: Plastic bags (5 pieces), Special lubricating oil (50 ml) for particle cut versions



### HSM Pure 940 document shredder

The particularly powerful data shredder with an extra large waste bin for the department. The robust and powerful cutting unit with a wide feed-in has an impressive throughput in continuous operation.

- Paper feed with overload protection reduces paper jams.
- Optical display and shut down if the bin is full.
- Light barrier for automatic start/stop.



Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
2391831	5.8	51-53	P-2/O-2/T-2/E-2		80
2393831	3.9 x 40	33-35	P-4/O-3/T-4/E-3/F-1		91
2392831	1.9 x 15	19-21	P-5/O-4/T-5/E-4/F-2		91

Dimensions (W x D x H): 620 x 487 x 1021 mm, Colour: white

Scope of delivery: Plastic bags (5 pieces), Special lubricating oil (50 ml) for particle cut versions



### Consumable materials

Product number	For Model	Description
1442995110	830	Plastic bags (PU 10 pcs.)
1442995000	830	Plastic bags (PU 100 pcs.)
1442995110	940	Plastic bags (PU 10 pcs.)
1442995000	940	Plastic bags (PU 100 pcs.)
1235997403		Special lubricating oil (bottle 250 ml)



## HSM Pure document shredder for the centralised destruction of data media

**Particularly easy. Uniquely practical.** The high-performance HSM Pure 740 max document shredder is designed for shredding large amounts of paper.



### Quiet continuous operation

The powerful motor ensures a high cutting capacity and reliable continuous operation.



### External oiler

For a consistently high cutting performance, this low maintenance document shredder has an external automatic oiler.



### Convenient emptying

Convenient emptying thanks to the high-quality wooden cabinet with door and pull-out reusable collecting bag.



### Alternative waste bin

Mobile 240 litre waste bin can be integrated, in accordance with DIN EN 840 (not included as standard).



The stand-by feature ensures a high degree of energy saving when the shredder is not in use.



A slight pressure on the safety element immediately stops the paper feed and prevents unintentional entry into the machine.



### HSM Pure 740 max document shredder

The strong document shredder with a 240 litre bin for demanding in-house data destruction. The robust shredder has a powerful cutting unit with a wide feed-in opening for formats up to DIN A3.

- Cutting rollers made of hardened solid steel with lifetime warranty.
- Paper feed with overload protection reduces paper jams.
- Light barrier for automatic start/stop.
- Optimum stability due to glide feet.
- High quality wooden cabinet with door and steel reinforced base plate against wear.
- Optical display and shut down if the bin is full.
- Correct removal and disposal of the cut material using the particle distributor to disperse the waste material evenly.



Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
2373111X	4.5 x 30	20-22	P-4		76
2372111X	1.9 x 15	14-15	P-5		76

Dimensions (W x D x H): 670 x 784 x 1347 mm, Colour: white

Scope of delivery: Plastic bags (5 pieces), Special lubricating oil (250 ml), Particle distributor to disperse the waste material



### Consumable materials

Product number	For Model	Description
1513995000	740 max	Plastic bags 230 l (PU 25 pcs.)
1235997403		Special lubricating oil (bottle 250 ml)

# The direct way to more security

## Ensure your data security yourself!


Many companies are too quick to choose an external service provider when faced with the question of destroying data either inside the company or externally.

What is often overlooked: **the company is still liable – even if the service provider is clearly at fault.\***

Moreover – the more stages and hands a storage device goes through, the more likely unauthorized access will occur. The efforts and the costs for external destruction are often underestimated. Do your own comparison!

### Security, effort and costs – all favour internal data destruction.

The stages of my data carrier's journey, using an application example.



\*In accordance with Clause 5 Para 2, Clause 24 Para 1, Clause 28 Para 1, Para 3 sub-para h, Clause 32 Para 1, sub-para b and d and Clause 82 Para 2 of the General Data Protection Regulation (GDPR). No responsibility is accepted for the accuracy of this information.

HSM SECURIO document shredders  
 HSM Pure document shredders  
 HSM shredstar document shredders  
 HSM Powerline heavy duty document shredders  
 HSM Powerline shredder baler combinations  
 HSM StoreEx digital data media shredders  
 HSM ProfiPack packaging machines  
 HSM Consumable materials



## HSM shredstar document shredders

Data privacy concerns everyone! So shred sensitive data at the office or at home with a document shredder from the HSM shredstar series. These devices are characterised by their compact and modern design, their high level of performance and ease of use with an unbeatable price-performance ratio.



## HSM shredstar document shredders for the home or small office

**Stylish – good value – secure.** The HSM shredstar document shredders for the home or small office. For people who want to shred documents securely.



### Separate CD cutting unit

The separate CD cutting unit easily shreds CDs and DVDs, credit and store cards. The shredded material is sorted into the separate CD waste container and can be disposed of separately.



### Quiet operation

The quiet operation minimises noise development at the workplace.



### Automatic start/stop

The operation is very easy: the device starts automatically when fed paper and automatically stops after shredding is complete.



### Anti-paper jam function

The automatic reverse eliminates paper jams and ensures a smooth operation.



### HSM shredstar X5 document shredder

Data protection for the home or the small office. This modern and compact particle cut document shredder with a separate CD cutting unit shreds data at the workplace.

- LED indicator shows the device's operating status: Power, Overload, Overheat.
- Light barrier for automatic start/stop.
- Level indicator through inspection window.
- Effortless emptying of the waste container via the removable housing top.



Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
1043821	4.5 x 30	5	P-4/O-1/T-2/E-2/F-1		4

Dimensions (W x D x H): 345 x 245 x 385 mm, Colour: white/silver



### Consumable materials

Product number	Description
1235997403	Special lubricating oil (bottle 250 ml)

# HSM shredstar document shredders for the home or small office



## Separate CD cutting unit

The separate CD cutting unit easily shreds CDs and DVDs, credit and store cards. The shredded material is sorted into the separate CD waste container and can be disposed of separately.



## Quiet operation

The quiet operation minimises noise development at the workplace.



## Automatic start/stop

The operation is very easy: the device starts automatically when fed paper and automatically stops after shredding is complete.



## Anti-paper jam function

The automatic reverse eliminates paper jams and ensures a smooth operation.



160 W 20 l 220 mm

## HSM shredstar X6pro document shredder

Reliable and user-friendly particle cut document shredder with the highest security level in the shredstar line. With a separate CD cutting unit for use at the workplace.

- LED indicator shows the device's operating status: Power, Overload, Overheat, Bin full.
- Light barrier for automatic start/stop.
- Level indicator through inspection window.
- Effortless emptying of the waste container via the removable housing top.

Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
1046811	2 x 15	6	P-5/O-1/T-2/E-2/F-2		6

Dimensions (W x D x H): 345 x 245 x 445 mm, Colour: white/silver



160 W 20 l 220 mm

## HSM shredstar X10 document shredder

Professional data protection at the workplace. This convenient home office document shredder with particle cut and separate CD cutting unit shreds files and CDs/DVDs securely.

- LED indicator shows the device's operating status: Power, Overload, Overheat, Bin full.
- Light barrier for automatic start/stop.
- Level indicator through inspection window.
- Effortless emptying of the waste container via the removable housing top.

Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
1045811	4.5 x 30	10	P-4/O-1/T-2/E-2/F-1		6

Dimensions (W x D x H): 345 x 245 x 445 mm, Colour: white/silver






## HSM shredstar document shredders for the workplace

**Stylish – good value – secure.** The HSM shredstar document shredders for the workplace. For people who need to shred paper documents and digital media securely.



### Separate CD cutting unit

The separate CD cutting unit easily shreds CDs and DVDs, credit and store cards. The shredded material is sorted into the separate CD waste container and can be disposed of separately.



### Functional and clear

The LED indicator shows the device's operating status: Power, Overload, Overheat, Bin full, Door open.



### Effortless emptying

The waste container can be easily removed and emptied.



### Mobile on castors

There are castors on the document shredder so it is easy to move around.



### HSM shredstar X12pro document shredder

Reliable and secure. This particle cut document shredder on castors has the highest security level for shredding data in the shredstar range. With a separate CD cutting unit for use at the workstation.

- Automatic reverse eliminates paper jams.
- Quiet operation minimises noise development at the workplace.
- Optical display and shut down if the bin is full.
- Light barrier for automatic start/stop.
- Level indicator through inspection window.

Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
1033121	4 x 37	13	P-5/O-1/T-2/E-2/F-2		14

Dimensions (W x D x H): 390 x 300 x 595 mm, Colour: white/silver



### HSM shredstar X13 / X15 document shredders

User-friendly and functional. These particle cut document shredders on castors in a modern design have an anti-paper jam function. Suitable for up to 5 people.

- Automatic reverse eliminates paper jams.
- Quiet operation minimises noise development at the workplace.
- Optical display and shut down if the bin is full.
- Light barrier for automatic start/stop.
- Level indicator through inspection window.

Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
X13: 1057821	4 x 37	15	P-4/O-1/T-2/E-2/F-1		13
X15: 1030821	4 x 37	15	P-4/O-1/T-2/E-2/F-1		13

Dimensions (W x D x H): 390 x 300 x 595 mm, Colour: white/silver



### Consumable materials

Product number	Description
1235997403	Special lubricating oil (bottle 250 ml)



## HSM Powerline heavy duty document shredders

Data privacy in a big way – the HSM Powerline: the robust technology of the three-phase devices is specially designed for a large throughput and long total operating time. The top of the range model HSM Powerline FA 500.3 processes bound documents and folders up to 550 sheets at a time. The powerful heavy duty document shredders are perfect for large archives or as a central station for document shredding.



Made in  
Germany

HSM produces the HSM Powerline heavy duty document shredders in Germany.



The heavy duty document shredders of the HSM Powerline product family meet the highest security standards.



## HSM Powerline heavy duty document shredders for the centralised destruction of data media

**Convenient and simple.** HSM Powerline heavy duty document shredders, designed for applications destroying large quantities of data media.



### Solid steel cutting rollers

The induction-hardened, solid steel cutting rollers are robust and ensure a high level of durability.



### Continuous operation

The powerful motor ensures a high cutting capacity and reliable continuous operation.



### Functional operator control panel with LED indicator

The operating status of the heavy duty document shredder is shown clearly on the control panel.



### Convenient working height

Data media can be processed at a convenient working height.



### User safety through emergency off switch

It may be necessary to stop the machine immediately so we have equipped the device with an emergency off switch.



### Effortless emptying

Effortless emptying via a removable trolley with a reusable collecting bag.



### Low space requirement and narrow transport width

Thanks to the integrated rollers and compact size, the machine can be easily set up at the installation site and saves space.



### Mobile on castors

The device can be used on a mobile basis and has smooth-running, stable castors with a parking brake.

## Accessories



### Loading table extension

The optional extension to the loading table provides more space to store materials.



### Additional collecting trolley for shredder material

To ensure a continuous shredding process, an additional collecting trolley can be ordered for the shredder material.



### Discharge conveyor belt

The discharge conveyor belt makes the collection of the shredded material easy and convenient. Any standard container can be used to collect the material at the end of the conveyor belt.



### Dust extractor

The powerful and energy efficient HSM DE 4-100 dust extractor in dust classification M ensures an optimal extraction due to the high air flow volume, thereby reducing dust emissions.

# HSM Powerline heavy duty document shredders for the centralised destruction of data media



## Solid steel cutting rollers

The induction-hardened, solid steel cutting rollers are robust and ensure a high level of durability.



## Continuous operation

The powerful motor ensures a high cutting capacity and reliable continuous operation.



## Functional operator control panel with LED indicator

The operating status of the heavy duty document shredder is shown clearly on the control panel.



## Convenient working height

Data media can be processed at a convenient working height.



The heavy duty document shredders in the Powerline product family meet the highest security standards.



P-4: 3 kW 290 l 443 mm  
P-5: 2.2 kW

## HSM Powerline 450.2 heavy duty document shredder

Powerful and durable. This heavy duty document shredder provides for data security in archives or central stations for document shredding.

- Energy efficiency class IE3 compliant motors.
- An automatic reverse reduces paper jams.
- Effortless emptying via a removable trolley with a reusable collecting bag.
- Light barrier for automatic start/stop.
- User safety through emergency off switch.
- Mobile on castors.

Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
1503154	3.9 x 40	65-70	P-4/O-3/T-4/E-3/F-1		220

Dimensions (W x D x H): 752 x 668 x 1602 mm, Colour: light grey

Scope of delivery: Plastic bags (5 pieces), Special lubricating oil (250 ml)

1688144	2 x 15	28-32	P-5/O-4/T-5/E-4/F-2		220
---------	--------	-------	---------------------	--	-----

Dimensions (W x D x H): 752 x 668 x 1471 mm, Colour: light grey

Scope of delivery: Plastic bags (5 pieces), Special lubricating oil (250 ml)



▲ 1503154  
▲ 1688144



4 kW 460 l 428 mm

## HSM Powerline FA 400.2 heavy duty document shredder

Thanks to its large throughput, this sturdy and durable heavy duty document shredder is perfect for use in archives or central stations for document shredding

- Convenient material feeding via conveyor belt.
- Energy efficiency class IE3 compliant motors.
- An automatic reverse reduces paper jams.
- Effortless emptying via a removable trolley with a reusable collecting bag.
- User safety through emergency off switch.
- Cross cut document shredders have a manual oiler.
- Practical storage table for data carriers.
- Mobile on castors, with parking brake.

Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
1534144	11.8	144	P-1/O-1/T-1/E-1		445
1513144	5.8	104	P-2/O-2/T-2/E-2		425
1514144	5.8 x 50	96	P-3/O-2/T-3/E-2		430
1515144	3.9 x 40	80	P-4/O-3/T-4/E-3/F-1		444

Dimensions (W x D x H): 1120 x 1568 x 1649 mm, Colour: light grey/iron grey

Scope of delivery: Plastic bags (5 pieces), Special lubricating oil (250 ml) for particle cut versions





P-2 to P-4: 530 l  
7,5 kW  
P-5:  
5,5 + 4 kW

## HSM Powerline FA 500.3 heavy duty document shredder

The top model of the HSM Powerline heavy duty document shredder range. This powerhouse is perfect for the shredding of large quantities in archives or central document shredding stations.

- Convenient material feeding via conveyor belt.
- Energy efficiency class IE3 compliant motors.
- An automatic reverse reduces paper jams.
- Effortless emptying via a removable trolley with a reusable collecting bag.
- User safety through emergency off switch.
- Automatic oiler provides for consistently high cutting capacity.
- Multifunction control panel for intuitive operation.
- Practical storage table for data carriers.
- Mobile on castors, with parking brake.

Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
1992114	10,5 x 40-76	510-550	P-2/O-2/T-2/E-2		883
1990114	6 x 40-53	300-350	P-3/O-2/T-3/E-2		905
1994114	3,9 x 40	180-200	P-4/O-3/T-4/E-3/F-1		905
1993114	1,9 x 15	90-100	P-5/O-4/T-5/E-4/F-2		1060

Dimensions (W x D x H): 1168 x 1796 x 1792 mm, Colour: light grey/iron grey

Scope of delivery: Plastic bags (5 pieces), Special lubricating oil (5 l)



2,2 kW  
42 l

## HSM DE 4-100 dust extractor

The powerful and energy efficient dust extractor in dust classification M ensures an optimal extraction due to the high air flow volume, thereby reducing dust emissions. The model is suitable for connection to the HSM Powerline FA 400.2 and FA 500.3 heavy duty document shredders.

- High quality materials and "Made in Germany" quality for safety and durability.
- Cabinet design with small footprint.
- Quiet operation minimises noise development in the workplace.
- Low operating costs due to cleanable long life cartridge filters.
- Filter cleaning is carried out fully automatically.
- Filter protection due to the pre-separation of coarse dust particles by the impact separator.
- Easy disposal of dust using the bin in the dust collection drawer.
- Practical automatic start/stop.
- Mobile on castors, with parking brake.

Product number	Dust classification	Max. negative pressure in Pa	Max. air flow volume in m <sup>3</sup> /h	Weight in kg
	M	2600	2000	230

2410114 – for connection to HSM Powerline FA 400.2

2411114 – for connection to HSM Powerline FA 500.3

Dimensions (W x D x H): 1460 x 935 x 1440 mm, Colour: light grey/iron grey

Compressed air required: 1/4 "/ 4-6 bar



## Accessories

Product number	For Model	Description
2410114	FA 400.2	HSM DE 4-100 dust extractor
2411114	FA 500.3	HSM DE 4-100 dust extractor
2461111	FA 400.2	Extension of the loading table by 600 mm, on the left or right
2460111	FA 500.3	Extended loading table (600 mm extension to the left)
2421111	FA 500.3	Discharge conveyor belt (1613 mm discharge height)
2441111	FA 400.2	Additional shredder-material collecting trolley
2440111	FA 500.3	Additional shredder-material collecting trolley

## Consumable materials

Product number	For Model	Description
1452995000	450.2	Plastic bags (PU 25 pcs.)
1513995100	FA 400.2	Plastic bags 460 l (PU 25 pcs.)
1513995000	FA 400.2	Plastic bags 230 l (PU 25 pcs.)
6205595000	FA 500.3	Plastic bags (PU 25 pcs.)
1235997403	450.2 / FA 400.2	Special lubricating oil (bottle 250 ml)
1235997501	FA 500.3	Special lubricating oil (canister 5 l)
2410995200	DE 4-100	Cardboard box for dust collection drawer (PU 1 pc.)



## HSM Powerline shredder baler combinations

The shredder baler combinations are complete, compact waste disposal stations. They provide data security up to security level P-5 and compress the shredded material into bales, which can be easily transported and recycled. The HSM shredder baler combinations are built for shredding large quantities.



Made in  
Germany

HSM produces the HSM Powerline shredder baler combinations in Germany.



The HSM Powerline shredder baler combinations meet the highest security standards.



## HSM Powerline compact disposal stations for industrial applications

**Convenient and economic.** The HSM Powerline shredder baler combinations are for heavy duty applications shredding large quantities of data.



### Solid steel cutting rollers

The induction-hardened, solid steel cutting rollers are robust and ensure a high level of durability.



### Continuous operation

The powerful motor ensures a high cutting capacity and reliable continuous operation.



### Functional operator control panel with LED indicator

The operating status of the shredder baler combination is shown clearly on the control panel.



### Convenient working height

Data media can be processed at a convenient working height.



### User safety through emergency off switch

It may be necessary to stop the machine immediately so we have equipped the device with an emergency off switch.



### Clean handling

The shredded material which has been compressed into compact bales can be cleanly disposed of either in a box (HSM SP 4040 V) or a waste bag (HSM SP 4040 V, HSM SP 5080). These prevent particles from falling out and ensure clean handling.



### Bale weight can be manually set

The bale weight is variable and depends on your requirement (HSM SP 5080, HSM SP 5088).



### Simple commissioning

The combination can be commissioned very easily using Plug-and-Play. The conveyor belt shredder can therefore be combined with a baling press at any time.

## Accessories



### Loading table extension

The optional extension to the loading table provides more space to store materials.



### Pallet holder

The pallet holder keeps a euro pallet in place so that the finished bale can be ejected and taken away easily and quickly.



### Dust extractor

The powerful and energy efficient HSM DE 4-100 dust extractor in dust classification M ensures an optimal extraction due to the high air flow volume, thereby reducing dust emissions.

# HSM Powerline compact disposal stations for industrial applications



## Solid steel cutting rollers

The induction-hardened, solid steel cutting rollers are robust and ensure a high level of durability.



## Continuous operation

The powerful motor ensures a high cutting capacity and reliable continuous operation.



## Functional operator control panel with LED indicator

The operating status of the shredder baler combination is shown clearly on the control panel.



## Convenient working height

Data media can be processed at a convenient working height.



The HSM Powerline shredder baler combinations meet the highest security standards.



4/2.2 kW



428 mm



## HSM Powerline SP 4040 V shredder baler combination

This compact combination of the FA 400.2 heavy duty document shredder and a vertical baling press is designed for the professional destruction of large quantities of documents, which are then compressed into bales of up to 35 kg.

- Convenient material feeding via non-slip conveyor belt.
- Continuous operation is possible thanks to the powerful motor with a chain drive.
- Energy efficiency class IE3 compliant motors.
- Light barrier for automatic start of the compression process.
- Automatic return eliminates paper jams.
- Practical removal trolley for the easy removal of bales.
- Cross cut shredder baler combinations have a manual oiler.
- Mobile on castors, with parking brake.

Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Bale weight max. in kg	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
2513111144	5.8	104	35	P-2/O-2/T-2/E-2		737
2514111144	5.8 x 50	96	35	P-3/O-2/T-3/E-2		737
2515111144	3.9 x 40	80	35	P-4/O-3/T-4/E-3/F-1		737

Max. bale size (W x H x L): 600 x 500 x 400 mm (box size), Pressing power: 44 kN

Dimensions (W x D x H): 1120 x 2175 x 1981 mm, Colour: light grey/iron grey

Scope of delivery: Plastic bags (5 pieces), Special lubricating oil (250 ml) for particle cut versions



P-2 to P-4:  
7.5/4 kW  
P-5:  
5.5 + 4/4 kW



500 mm



## HSM Powerline SP 5080 shredder baler combination

This powerful combination of the FA 500.3 heavy duty document shredder and a counterplate baling press is suitable for data security in archives and compresses the shredded material into bales of between 40 and 80 kg.

- Convenient material feeding via non-slip conveyor belt.
- Continuous operation is possible thanks to the powerful motor with a chain drive.
- Energy efficiency class IE3 compliant motors.
- Light barrier for automatic start of the compression process.
- Automatic return eliminates paper jams.
- Automatic oiler provides for consistently high cutting capacity.
- Multifunction element for intuitive operation.
- Mobile on castors, with parking brake

Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Bale weight max. in kg	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
2992209134	10.5 x 40-76	510-550	40-80	P-2/O-2/T-2/E-2		1350
2990209134	6 x 40-53	300-350	40-80	P-3/O-2/T-3/E-2		1350
2994209134	3.9 x 40	180-200	40-80	P-4/O-3/T-4/E-3/F-1		1350
2993209134	1.9 x 15	90-100	40-80	P-5/O-4/T-5/E-4/F-2		1480

Max. bale size (W x H x L): 570 x 490 x 800 mm, Pressing power: 80 kN

Dimensions (W x D x H): 1267 x 2474 x 1792 mm, Colour: light grey/iron grey

Scope of delivery: Plastic bags (5 pieces), Special lubricating oil (5 l)



P-2 to P-4:  
7.5/4 kW  
P-5:  
5.5 + 4/4 kW



500 mm



## HSM Powerline SP 5088 shredder baler combination

With this waste disposal station, HSM combines the FA 500.3 heavy duty document shredder with a channel baler press. It is therefore perfect for use in archives or central stations for shredding large quantities of documents, which are then compressed into bales of up to 90 kg.

- Convenient material feeding via non-slip conveyor belt.
- Continuous operation is possible thanks to the powerful motor with a chain drive.
- Energy efficiency class IE3 compliant motors.
- Automatic return eliminates paper jams.
- Simple commissioning of the combination using Plug-and-Play.
- Light barrier for automatic start of the compression process.
- Shredded material is compressed into compact bales, which are manually tied off with three baler straps and can also be disposed of cleanly in a waste bag.
- The bale weight is variable depending on the requirement.
- Automatic oiler provides for consistently high cutting capacity.
- User safety through emergency off rail.
- Multifunction element for intuitive operation.
- Mobile on castors, with parking brake.

Product number	Cutting size in mm	Cutting capacity in sheets 80 g/m <sup>2</sup>	Bale weight max. in kg	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
2992414134	10.5 x 40-76	510-550	90	P-2/O-2/T-2/E-2		1660
2990414134	6 x 40-53	300-350	90	P-3/O-2/T-3/E-2		1660
2994414134	3.9 x 40	180-200	90	P-4/O-3/T-4/E-3/F-1		1660
2993414134	1.9 x 15	90-100	90	P-5/O-4/T-5/E-4/F-2		1790

Max. bale size (W x H x L): 500 x 500 x 400-950 mm, Pressing power: 85 kN

Dimensions (W x D x H): 1273 x 3281 x 1792 mm, Colour: light grey/iron grey

Scope of delivery: Plastic bags (5 pieces), Special lubricating oil (5 l)



2.2 kW



42 l



## HSM DE 4-100 dust extractor

The powerful and energy efficient dust extractor in dust classification M ensures an optimal extraction due to the high air flow volume, thereby reducing dust emissions. The model is suitable for connection to the HSM Powerline SP 4040 V, SP 5080 and SP 5088 shredder baler combinations.

- High quality materials and "Made in Germany" quality for safety and durability.
- Cabinet design with small footprint.
- Quiet operation minimises noise development in the workplace.
- Low operating costs due to cleanable long life cartridge filters.
- Filter cleaning is carried out fully automatically.
- Filter protection due to the pre-separation of coarse dust particles by the impact separator.
- Easy disposal of dust using the bin in the dust collection drawer.
- Practical automatic start/stop.
- Mobile on castors, with parking brake.

Product number	Dust classification	Max. negative pressure in Pa	Max. air flow volume in m <sup>3</sup> /h	Weight in kg
	M	2600	2000	230

2410114 – for connection to HSM Powerline SP 4040 V

2411114 – for connection to HSM Powerline SP 5080 / SP 5088

Dimensions (W x D x H): 1460 x 935 x 1440 mm, Colour: light grey/iron grey

Compressed air required: 1/4 "/ 4-6 bar



## Accessories

Product number	For Model	Description
2410114	SP 4040 V	HSM DE 4-100 dust extractor
2411114	SP 5080 / SP 5088	HSM DE 4-100 dust extractor
2461111	SP 4040 V	Extension of the loading table by 600 mm, on the left or right
2460111	SP 5080 / SP 5088	Extended loading table (600 mm extension to the left)
2490111	SP 5088	Pallet holder KP 88.2

## Consumable materials

Product number	For Model	Description
6111995200	SP 4040 V	Plastic bags (PU 25 pcs.)
6209995000	SP 5080	Plastic bags (PU 25 pcs.)
6515995000	SP 5088	Plastic bags (PU 25 pcs.)
6111995101	SP 4040 V	Cardboard box
1235997403	SP 4040 V	Special lubricating oil (bottle 250 ml)
1235997501	SP 5080 / SP 5088	Special lubricating oil (canister 5 l)
6205993010	SP 5088	Strapping tape WG 30
6127990101	SP 5088	Tape clamps (PU 1000 pcs.)
2410995200	DE 4-100	Cardboard box for dust collection drawer (PU 1 pc.)

HSM SECURIO  
document shredders

HSM Pure  
document shredders

HSM shredstar  
document shredders

HSM Powerline heavy duty  
document shredders

HSM Powerline  
shredder baler combinations

HSM StoreEx  
digital data media shredders

HSM ProfiPack  
packaging machines

HSM  
Consumable materials



## HSM StoreEx digital data media shredders

Be careful when disposing of digital storage media! Huge amounts of confidential information are stored on our computers, USB sticks, magnetic tapes, CDs, DVDs and Blu-ray discs, credit cards and loyalty cards. But what happens to these storage devices when they are no longer required? The solution is mechanical destruction! The HSM StoreEx digital data media shredders shred digital and magnetic media into tiny particles, making recovery practically impossible. Safe and efficient to use, data protection compliant.



Made in  
Germany

HSM produces the HSM StoreEx digital data media shredders in Germany.

H-3 security cut



H-4



H-5



## The only way to destroy confidential data securely and reliably

The HSM StoreEx digital data media shredders destroy optical, magnetic and electronic storage media in a secure and economical way.



### Solid steel cutting rollers

The induction-hardened, solid steel cutting rollers are robust and ensure a high level of durability.



### Continuous energy-saving operation with low noise level

This powerful machine provides an excellent cutting performance combined with reliable continuous operation and a low noise level.



### Convenient operation via the membrane keypad

The selection of the correct functional mode will always ensure maximum throughput for the respective material type, HSM StoreEx HDS 150/230.



### Continuous input of media

The large and clearly visible LED display enables the continuous input of media at a comfortable working height, HSM StoreEx HDS 150/230.



### For decentralised destruction

Data media can be shredded easily in decentralised locations with this machine, HSM StoreEx HDS 150/230.



### Material anti-jam function

The automatic reverse function rectifies material jams and ensures smooth shredding operations, HSM StoreEx HDS 150/230.



### Low maintenance

The digital data media shredder has a closed direct drive unit and is therefore a low maintenance machine, HSM StoreEx HDS 150/230.



### User safety through emergency off switch

It may be necessary to stop the machine immediately so we have equipped the device with an emergency off switch, HSM StoreEx HDS 150/230.

## Accessories



### Material feed conveyor belt

A conveyor belt can be used for a continuous material feed into the digital data media shredder.



### Hand scanner

The data media to be destroyed is registered and documented easily and quickly using a hand scanner.



### Camera surveillance system

The high resolution camera surveillance system records the data media to be destroyed and documents the whole shredding process from the input to the final destruction.



### Dust extractor

The powerful and energy efficient HSM DE 4-240 dust extractor in dust classification H ensures an optimal extraction due to the high air flow volume, thereby reducing dust emissions.

HSM SECURIO  
document shredders

HSM Pure  
document shredders

HSM shredstar  
document shredders

HSM Powerline heavy duty  
document shredders

HSM Powerline  
shredder baler combinations

HSM StoreEx  
digital data media shredders

HSM ProfiPack  
packaging machines

HSM  
Consumable materials

# HSM StoreEx digital data media shredders: the only way to destroy confidential data securely and reliably



## Solid steel cutting rollers

The induction-hardened, solid steel cutting rollers are robust and ensure a high level of durability.



## Continuous energy-saving operation with low noise level

This powerful machine provides an excellent cutting performance combined with reliable continuous operation and a low noise level.



## Convenient operation via the membrane keypad

The selection of the correct functional mode will always ensure maximum throughput for the respective material type, HSM StoreEx HDS 150/230.



## LED display for continuous input of media

The large and clearly visible LED display enables the continuous input of media at a comfortable working height, HSM StoreEx HDS 150/230.



## HSM StoreEx OMDD 130 digital data media shredder

This digital data media shredder is specifically designed for the shredding of CDs/DVDs, credit cards or floppy discs with the highest security requirements.

- Digital data media shredder with single-phase power connection.
- High quality materials and "Made in Germany" quality for safety and durability.
- Cutting rollers made of hardened solid steel.
- Powerful, energy-saving power unit enables long operation.
- High degree of energy saving due to stand-by.
- The device automatically switches off if pressure is applied to the safety element.
- Safety element prevents unintentional entry and serves as a splinter shield.
- Light barrier for automatic start/stop.
- An automatic reverse rectifies material jams.
- Optical display and shut down if the bin is full.
- Can be moved on castors.

Product number	Cutting size in mm	Cutting capacity in items/h	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
1767111	2.2 x 4	up to 2000 CDs/DVDs (1 item per pass)	O-5/T-6/E-5		91

Dimensions (W x D x H): 620 x 487 x 1021 mm, Colour: white



## HSM StoreEx HDS 150 digital data media shredder

The HSM StoreEx HDS 150 digital data media shredder destroys digital media devices in a safe and economical way – and is data protection compliant as well.

- The HSM StoreEx HDS 150 destroys data carriers completely securely and reliably at security level "H-3 security cut".
- Digital data media shredder with single-phase power connection.
- Removable waste container for effortless emptying.
- For the decentralised destruction of data media.
- An automatic reverse rectifies material jams.
- Low maintenance due to closed direct drive unit.
- Mobile on castors, with parking brake.

Product number	Cutting size in mm	Device type	Cutting capacity in items/h	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
1772811	40	single-stage	up to 1200 hard drives 2.5", up to 210 hard drives 3.5" (1 item per pass); up to 4200 CDs/DVDs; up to 280 magnetic tapes	H-3/T-1/E-2		534

Dimensions (W x D x H): 1200 x 815 x 1325 mm, Colour: light grey/iron grey

Dimensions of feed-in opening (W x D x H): 165 x 290 x 60 mm



3 / 6 kW  
single-/dual-  
stage



45 l



3.2 / 6.2 kW  
single-/dual-stage



2.2 kW



42 l



## HSM StoreEx HDS 230 digital data media shredder

Secure, data protection compliant and economical. This digital data media shredder shreds digital data carriers into little particles and makes data recreation virtually impossible.

- Removable waste container for effortless emptying. (models with removable waste container).
- Discharge conveyor belt for transporting material on the right or left (models with discharge conveyor belt).
- For the decentralised destruction of data media.
- Time-saving direct input of CDs/loyalty cards.
- An automatic reverse rectifies material jams.
- User safety due to emergency off switch.
- Low maintenance due to closed direct drive unit.
- Small footprint thanks to the compact design.
- The control cabinet is easily accessible from the front of the machine.
- Mobile on castors, with parking brake.

Product number	Cutting size in mm	Device type	Cutting capacity in items/h	Security level ISO/IEC 21964 (DIN 66399)	Shredder material	Weight in kg
----------------	--------------------	-------------	-----------------------------	--	-------------------	--------------

### Models with removable waste container

1778124	20 x 40-50	single-stage	up to 1500 hard drives 2.5", up to 360 hard drives 3.5" (1 item per pass); up to 7500 CDs/DVDs; up to 500 magnetic tapes	H-4/O-1/T-2/E-2		733
1777124	11.5 x 26	dual-stage	up to 1150 hard drives 2.5", up to 280 hard drives 3.5" (1 item per pass); up to 6000 CDs/DVDs; up to 420 magnetic tapes	H-5/O-2/T-3/E-2		1098

Dimensions (W x D x H): 1580 x 905 x 1420 mm, Colour: light grey/iron grey

Dimensions of feed-in opening (W x D x H): 165 x 300 x 60 mm

### Models with discharge conveyor belt

1778124F	20 x 40-50	single-stage	up to 1500 hard drives 2.5", up to 360 hard drives 3.5" (1 item per pass); up to 7500 CDs/DVDs; up to 500 magnetic tapes	H-4/O-1/T-2/E-2		860
1777124F	11.5 x 26	dual-stage	up to 1150 hard drives 2.5", up to 280 hard drives 3.5" (1 item per pass); up to 6000 CDs/DVDs; up to 420 magnetic tapes	H-5/O-2/T-3/E-2		1225

Dimensions (W x D x H): 2879 x 905 x 1712 mm, Colour: light grey/iron grey

Dimensions of feed-in opening (W x D x H): 165 x 300 x 60 mm

## HSM DE 4-240 dust extractor

The powerful and energy efficient dust extractor in dust classification H ensures optimal extraction due to the high air flow volume, thereby significantly reducing the emission of substances which are a health hazard. The model is suitable for connection to the HSM StoreEx HDS 230 digital data media shredder, in both the single and dual stage variant.

- High quality materials and "Made in Germany" quality for safety and durability.
- Cabinet design with small footprint.
- Quiet operation minimises noise development in the workplace.
- Low operating costs due to cleanable long life cartridge filters.
- Filter cleaning is carried out fully automatically.
- Filter protection due to the pre-separation of coarse dust particles by the impact separator.
- Easy disposal of dust using the bin in the dust collection drawer.
- Practical automatic start/stop.
- Mobile on castors, with parking brake.

Product number	Dust classification	Max. negative pressure in Pa	Max. air flow volume in m³/h	Weight in kg
2413124	H	2600	2000	230

Dimensions (W x D x H): 1460 x 935 x 1440 mm, Colour: light grey/iron grey

Compressed air required: 1/4 "/ 4-6 bar



## Accessories

Product number	For Model	Description
2492111	HDS 150 / HDS 230	Hand scanner
2493111	HDS 150 / HDS 230	Camera surveillance system
2494111	HDS 230	Truck mounting kit
2430111	HDS 230	Material feed via conveyor belt
1777300001	HDS 230	Houseing cpl. for discharge conveyor belt
2413124	HDS 230	HSM DE 4-240 dust extractor


## Consumable materials

Product number	For Model	Description
1767995200	OMDD 130	Cardboard box (PU 1 pc.)
2410995200	DE 4-240	Cardboard box for dust collection drawer (PU 1 pc.)



## HSM ProfiPack packaging machines

**From waste to packaging material!** The packaging machines are a brilliant solution for all shipping and storage areas. They perforate used cardboard or bolster it up and make universally usable packaging material which is as good as new. This saves costs and, at the same time, is a sensible and practical contribution to environmental protection.



### Solid steel cutting rollers

The induction-hardened, solid steel cutting rollers are robust and ensure a high level of durability.



### Continuous operation

The powerful motor ensures a high cutting capacity and reliable continuous operation.



### Adjustable working width

The infinitely variable adjustment of the working width with a scale allows the production of cushioning material exactly as required.




### Variable cushioning volume

Depending on the application, the cushioning volume of the packaging material can be adjusted as required.




Made in Germany

HSM produces the HSM ProfiPack packaging machines in Germany.



### One work process to cut and perforate

Cutting and bolstering in one work process.



### High-quality packaging material

The packaging material can be used wherever required and provides an optimum protection for objects.



### Perfectly packed – with HSM ProfiPack

Safely pack different objects easily and save time as well.



0.7 kW



415 mm



2.0/3.8 kW



425 mm



Image similar



1.0 kW



## HSM ProfiPack C400 packaging machine

With this packaging machine, you can process cardboard into a padding mat or padded filling material in one working step. As a compact tabletop device, it can be used as a mobile device with total flexibility.

- Intuitive operation with LED indicators on a robust keypad.
- Recessed handle for easy lifting of the device.
- Integrated turbo-function resolves blockages.
- Non-slip stand of the packaging machine.

Product number	Infeed height in mm	Cutting capacity in layers of cardboard	Cutting speed in m/min (mm/s)	Throughput in kg/h (m <sup>3</sup> /h)	Weight in kg
1528134	10	1	8.1 (135)	up to 50 (0.75)	47

Dimensions (W x D x H): 610 x 395 x 375 mm, Colour: light grey/iron grey

## HSM ProfiPack P425 packaging machine

This high-performance packaging machine is used to process a number of layers of cardboard into a padding mat or padded filling material. The professional device is mobile on steering rollers and can be used with total flexibility.

- Particularly sustainable operation due to the high efficiency.
- Fully flexible feed-in speed adjustment (model with single-phase power plug).
- Integrated turbo-function resolves blockages (model with single-phase power plug).
- Mobile on castors, with parking brake.
- Infinitely adjustable working width with scale for cushioning material made to measure.
- Intuitive operation with LED indicators on a robust keypad.
- User safety through emergency off switch.

### Model incl. adapter set for dust extractor

- Connection for dust suction.
- Dust extractor for dust-free working environment (optional).

Product number	Infeed height in mm	Cutting capacity in layers of cardboard	Cutting speed in m/min (mm/s)	Throughput in kg/h (m <sup>3</sup> /h)	Weight in kg
1531154	20	up to 3	up to 10.2 (170)	up to 80 (1.5)	160
1531054 incl. adapter set for dust extractor	20	up to 3	up to 10.2 (170)	up to 80 (1.5)	165

### Models with single-phase power plug, power consumption: 2.0 kW

1531154	20	up to 3	up to 10.2 (170)	up to 80 (1.5)	160
1531054 incl. adapter set for dust extractor	20	up to 3	up to 10.2 (170)	up to 80 (1.5)	165

### Models with three-phase power plug, power consumption: 3.8 kW

1533154	20	up to 3	12 (200)	up to 120 (2.3)	181
1533054 incl. adapter set for dust extractor	20	up to 3	12 (200)	up to 120 (2.3)	186

Dimensions (W x D x H): 770 x 570 x 1040 mm, Colour: light grey/iron grey

## HSM DE 1-8 dust extractor

The compact and powerful dust extractor in dust classification M is the perfect addition for clean operations with the HSM ProfiPack P425 packaging machine. Cardboard and dust particles are extracted reliably.

- High quality materials and "Made in Germany" quality for safety and durability.
- Compact and space-saving design.
- Quiet operation minimises noise development in the workplace.
- Low operating costs due to cleanable long life cartridge filters.
- Pulse-jet filter cleaning nozzle for easy cleaning of the long life filter cartridges.
- Easy disposal of dust using the bin in the dust collection drawer.
- Handle enables mobile use.

Product number	Dust classification	Max. negative pressure in Pa	Max. air flow volume in m <sup>3</sup> /h	Weight in kg
2412111	M	19 000	200	15

Dimensions (W x D x H): 390 x 210 x 500 mm, Colour: light grey/iron grey

Compressed air required: 1/4" / 4-6 bar



## Accessories

Product number	For Model	Description
2412111	P425 incl. adapter set for dust extractor	HSM DE 1-8 dust extractor

# HSM Consumable materials

## Plastic bags



Colour: transparent

Packaging unit (PU) = 10 pieces

Product number	For Model	Dimensions in mm (W x D x L)	Weight in kg per 100 pcs.
1661995150	B22, B24, AF150, AF300, AF350, 420, 104.3, 105.3, 108.2	348 x 195 x 800	3.8
1330995100	B26, B32, AF500, 530, 125.2	440 x 370 x 850	4.3
1410995100	B34, 225.2, 386.2/1	530 x 340 x 1000	10.0
1442995110	B35, P36i, P36, P40i, P40, 630, 740, 730, 830, 940, 390.3/2/1, 411.2/1, 412.2	525 x 425 x 1100	10.0

Colour: transparent

Packaging unit (PU) = 100 pieces

Product number	For Model	Dimensions in mm (W x D x L)	Weight in kg per 100 pcs.
1661995050	B22, B24, AF150, AF300, AF350, 420, 104.3, 105.3, 108.2	348 x 195 x 800	3.8
1330995000	B26, B32, AF500, 530, 125.2	440 x 370 x 850	4.3
1410995000	B34, 225.2, 386.2/1	530 x 340 x 1000	10.0
1442995000	B35, P36i, P36, P40i, P40, 630, 740, 730, 830, 940, 390.3/2/1, 411.2/1, 412.2	525 x 425 x 1100	10.0

Colour: transparent

Packaging unit (PU) = 25 pieces

Product number	For Model	Dimensions in mm (W x D x L)	Weight in kg per 100 pcs.
1452995000	P44i, P44, 450.2, P450	570 x 545 x 1150	20.5
1513995000	740 max, FA 400.2 (230 l) FA 490.1/FA 500.2 (180 l)	575 x 440 x 1500	26.0
1513995100	FA 400.2 (460 l) FA 490.1/FA 500.2 (360 l)	575 x 900 x 1500	46.5
6212595000	FA 400 (340 l)	850 x 750 x 1800	46.5
6111995200	SP 4040 V, SP 4940 V	600 x 400 x 1000	17.5
6209995000	SP 4980, SP 5080	580 x 500 x 1400	27.0
6515995000	SP 4988, SP 5088	560 x 540 x 1200	22.6
6205595000	SP 50100, FA 500.3	700 x 620 x 1500	33.0

## Cardboard box



for HSM SECURIO and HSM Classic document shredders

Packaging unit (PU) = 1 piece

Product number	For Model	Dimensions in mm (W x H x L)
1820995200	HSM SECURIO B32, AF500	412 x 524 x 255
1840995200	HSM SECURIO B34	457 x 529 x 290
1920995200	HSM SECURIO B35	375 x 519 x 528
1850995200	HSM SECURIO P36i, P36, P40i, P40	495 x 554 x 395
1870995200	HSM SECURIO P44i, P44	594 x 560 x 434
1270995200	HSM Classic 125.2	382 x 275 x 569
1340995200	HSM Classic 225.2	429 x 535 x 357
1365995200	HSM Classic 390.3	527 x 589 x 390
1565995200	HSM Classic 411.2	532 x 569 x 400

for HSM Powerline shredder baler combinations

Packaging unit (PU) = 20 pieces

Product number	For Model	Dimensions in mm (W x H x L)
6111995101	SP 4040 V, SP 4090 V	590 x 485 x 390

for HSM StoreEx digital data media shredder and HSM DE dust extractors

Packaging unit (PU) = 1 piece

Product number	For Model	Dimensions in mm (W x H x L)
1767995200	HSM StoreEx OMDD 130	530 x 262 x 400
2410995200	HSM DE 4-100, DE 4-240	395 x 200 x 600

## Special lubricating oil



for document shredders and shredder baler combinations

Packaging unit (PU) = 6 bottles

Product number	Inhalt
1235997403	Bottle 250 ml
1235997501	Canister 5 l

## WG 30 Strapping tape / Tape clamps



Tear resistance: 280 kg

Packaging unit (PU) = box with 8 rolls / 24 PU = 1 pallet

Product number	For Model	Dimensions in mm (W x L)	Weight in kg
6205993010	WG 30 Strapping tape for SP 4988, SP 5088	8 mm x 500 m	2.2/piece
6127990101	Tape clamps, PU = 1000 pcs.	-	12

# Notes on the technical details

## Document shredders:

Cutting type:	The material is shredded into either strips or particles.
Cutting size in mm:	Dimension of the strips or particles of the shredded material (depending on the paper quality).
Cutting capacity in sheets:	The maximum number of sheets (DIN A4, 80 g/m <sup>2</sup> ), fed lengthways, which can be cut in one cycle. The performance data is determined when the motor is cold and the cutting device is freshly oiled. A weaker mains voltage or a different mains frequency to the one specified could result in less sheet capacity and increased noise during operation. The sheet capacity can vary depending on the structure and properties of the paper and on the way it is fed in. The performance data is calculated with paper of 80 g/m <sup>2</sup> .
Security levels:	According to ISO/IEC 21964-1 (DIN 66399-1).
OMDD:	The OMDD (Optical Media Destruction Device) cutting unit shreds CDs and DVDs and is recommended for shredding confidential information by the Federal Office for Information Security.
Intake/working width in mm:	Maximum effective width of the feed opening.
Motor:	Max. power consumption of the shredder for cutting capacity with sheets of 80 g/m <sup>2</sup> . Rated power of document shredder drive motor.
Voltage/frequency:	AC mains supply.
Dimensions (W x D x H):	External dimensions of the machine when set up for operation.
Weight in kg:	Net weight of the machine without packaging.
Container/collection volume:	Volume of waste container or collection capacity for cut material before the machine switches off.

## Shredder baler combinations:

Pressing power:	Piston cylinder surface multiplied by the maximum hydraulic pressure (theoretical value).
Motor:	Rated power of document shredder and baling press drive motors.
Max. bale size (W x H x L):	The length of the bales varies depending on the expansion force of the compressed material.
Dimensions (W x D x H):	External dimensions of the machine when set up for operation.
Weight in kg:	Net weight without packaging, loaded material, feeding system or options.

## Packaging machines:

Effective width in mm:	The maximum effective width of the feed opening.
Infeed height in mm:	Height of the intake opening.
Cutting capacity:	The number of layers of cardboard which can be cut in one cycle.
Cutting speed in mm/s:	This is calculated on the basis of the external diameter and speed of the cutting rollers in idle operation.
Motor:	Max. power consumption of the machine for cutting capacity / in layers
Voltage/frequency:	Three-phase/alternating current power supply.
Dimensions (W x D x H):	External dimensions of the machine when set up for operation.
Weight in kg:	Net weight of the machine without packaging and options.

## Digital data media shredders:

Cutting capacity:	Max quantity of hard drives which can be shredded in one hour.
Cutting size in mm:	The dimensions of the particles that result from shredding the material.
Motor:	Rated power of digital data media shredder drive motor.
Voltage/frequency:	Three-phase/alternating current power supply.
Dimensions (W x D x H):	The external dimensions of the machine when set up for operation.
Weight in kg:	The net weight of the machine, without packaging and options.

# Key to symbols

## Materials that can also be shredded as well as paper:

 Staples and paper clips	 Credit and customer cards	 CDs/DVDs	 Discs	 USB sticks
 Hard drives	 Magnetic tapes	 Folders	 Shipment ex-stock approx. 1-2 days	 Carrier shipment ex-stock approx. 4-5 days

## Technical services:

 Motor	 Container/collection volume	 Intake width/working width	 Single-phase power plug	 Three-phase power plug
---	---	--	--	--

HSM document shredder	Cutting size in mm	Order no.	Dimensions W x D x H in mm	Weight in kg	Number of sheets per pass (80 g/m <sup>2</sup> DIN A4)	Bin capacity in litres/sheets (80 g/m <sup>2</sup> DIN A4)	Shredder material CPNI approved			
HSM SECURIO / HSM shredstar document shredders	<b>HSM shredstar X6pro</b>	1046	345 x 245 x 445	6	6	20 / 225			✓	
	<b>HSM SECURIO C18</b>	1912	365 x 280 x 542	11	6-7	25 / 319			✓	
	<b>HSM SECURIO B22</b>	1832	375 x 310 x 600	12	7-9	33 / 420			✓	
	<b>HSM SECURIO B24</b>	1.9 x 15	1782	395 x 317 x 605	16	9-11	34 / 432			✓
		0.78 x 11	1785		21	6	34 / 339			✓
		1 x 5	1784		21	4	34 / 626			✓
	<b>HSM SECURIO B24</b> with automatic paper feed	1.9 x 15	2092	395 x 435 x 837	17	6-7	34 / 432			✓
		0.78 x 11	2095		21	5	34 / 339			✓
	<b>HSM SECURIO B26</b>	1.9 x 15	1802	497 x 397 x 676	27	9-11	55 / 700			✓
		0.78 x 11	1805		28	6	55 / 548			✓
		1 x 5	1804		28	4	55 / 1,011			✓
	<b>HSM SECURIO B32</b>	1.9 x 15	1822	497 x 398 x 793	27	9-11	82 / 1,043			✓
		0.78 x 11	1825			6	82 / 818			✓
		1 x 5	1824			4	82 / 1,508			✓
	<b>HSM SECURIO B32</b> with automatic paper feed	1.9 x 15	2102	497 x 491 x 1002	29	9-11	82 / 1,043			✓
		0.78 x 11	2105		30	6	82 / 818			✓
	<b>HSM SECURIO B34</b>	1.9 x 15	1842	541 x 439 x 845	42	12-13	100 / 1,273			✓
		0.78 x 11	1845			8	100 / 997			✓
		1 x 5	1844			5	100 / 1,839			✓
	<b>HSM SECURIO B35</b>	1.9 x 15	1922	618 x 525 x 870	53	14-15	130 / 1,655			✓
0.78 x 11		1925	54		9	130 / 1,300			✓	
1 x 5		1924	54		5	130 / 2,340			✓	
<b>HSM SECURIO P36i</b>	1.9 x 15	1852	580 x 550 x 1020	68	16-18	145 / 1,845			✓	
	0.78 x 11	1855		68	11-13	145 / 1,446			✓	
	0.78 x 11 (OMDD, 2 x 2 mm)	1855M		75	-	145 + 1.8 OMDD / 1,446			✓	
	1 x 5	1854		68	8	145 / 2,667			✓	
	1 x 5 (OMDD, 2x2mm)	1854M		75	-	145 + 1.8 OMDD / 2,667			✓	
<b>HSM SECURIO P40i</b>	1.9 x 15	1882	580 x 550 x 1020	72	19-21	145 / 1,845			✓	
	0.78 x 11	1885		72	13-15	145 / 1,446			✓	
	0.78 x 11 (OMDD, 2 x 2 mm)	1885M		78	-	145 + 1.8 OMDD / 1,446			✓	
	1 x 5	1884		72	9	145 / 2,667			✓	
	1 x 5 (OMDD, 2x2mm)	1884M		78	-	145 + 1.8 OMDD / 2,667			✓	
<b>HSM SECURIO P44i</b>	1.9 x 15	1872	700 x 592 x 1105	105	25-27	205 / 2,610			✓	
	0.78 x 11	1875		105	17-19	205 / 2,044			✓	
	0.78 x 11 (OMDD, 2 x 2 mm)	1875M		111	-	205 + 1.8 OMDD / 2,044			✓	
	1 x 5	1874		105	11	205 / 3,770			✓	
	1 x 5 (OMDD, 2x2mm)	1874M		111	-	205 + 1.8 OMDD / 3,770			✓	
HSM Powerline document shredders	<b>HSM Powerline 450.2</b>	1688	750 x 665 x 1460	220	28-32	290 / 3,686			✓	
	<b>HSM Powerline FA 500.3</b>	1993	1168 x 1797 x 1792	1060	90-100	530 / > 6,700			✓	
HSM Powerline shredder balers	<b>HSM Powerline SP 5080</b>	29932	1170 x 2400 x 1795	1480	90-100	Bale weight: 40-80 kg			✓	
	<b>HSM Powerline SP 5088</b>	29934	1250 x 3225 x 1795	1790	90-100	Bale weight < 90 kg			✓	

HSM document shredder	Cutting size in mm	Security level	Number of sheets per pass (80 g/m <sup>2</sup> DIN A4)	Bin capacity in litres/sheets (80 g/m <sup>2</sup> DIN A4)	Shredder material	P	O	
HSM SECURIO / HSM shredstar document shredders	<b>HSM shredstar X6pro</b>	2 x 15	4	6	20 / 225		✓	
	<b>HSM SECURIO C18</b>	1.9 x 15	4	6-7	25 / 319		✓	
	<b>HSM SECURIO B22</b>	1.9 x 15	4	7-9	33 / 420		✓	
	<b>HSM SECURIO B24</b>	1.9 x 15	4	9-11	34 / 432		✓	
		0.78 x 11	5	6	34 / 339		✓	
		1 x 5	6	4	34 / 626		✓	
	<b>HSM SECURIO B26</b>	1.9 x 15	4	9-11	55 / 700		✓	
		0.78 x 11	5	6	55 / 548		✓	
		1 x 5	6	4	55 / 1,011		✓	
	<b>HSM SECURIO B32</b>	1.9 x 15	4	9-11	82 / 1,043		✓	
		0.78 x 11	5	6	82 / 818		✓	
		1 x 5	6	4	82 / 1,508		✓	
	<b>HSM SECURIO B34</b>	1.9 x 15	4	12-13	100 / 1,273		✓	
		0.78 x 11	5	8	100 / 997		✓	
		1 x 5	6	5	100 / 1,839		✓	
	<b>HSM SECURIO B35</b>	1.9 x 15	4	14-15	130 / 1,655		✓	
		0.78 x 11	5	9	130 / 1,300		✓	
		1 x 5	6	5	130 / 2,340		✓	
	<b>HSM SECURIO P36i</b>	1.9 x 15	4	16-18	145 / 1,845		✓	
		0.78 x 11	5	11-13	145 / 1,446		✓	
0.78x11 (OMDD, 2x2mm)		5	-	145 + 1.8 OMDD / 1,446		✓	✓	
1 x 5		6	8	145 / 2,667		✓		
1 x 5 (OMDD, 2x2mm)		6	-	145 + 1.8 OMDD / 2,667		✓	✓	
<b>HSM SECURIO P40i</b>	1.9 x 15	4	19-21	145 / 1,845		✓		
	0.78 x 11	5	13-15	145 / 1,446		✓		
	0.78x11 (OMDD, 2x2mm)	5	-	145 + 1.8 OMDD / 1,446		✓	✓	
	1 x 5	6	9	145 / 2,667		✓		
	1 x 5 (OMDD, 2x2mm)	7	-	145 + 1.8 OMDD / 2,667		✓	✓	
<b>HSM SECURIO P44i</b>	1.9 x 15	4	25-27	205 / 2,610		✓		
	0.78 x 11	5	17-19	205 / 2,044		✓		
	0.78x11 (OMDD, 2x2mm)	5	-	205 + 1.8 OMDD / 2,044		✓	✓	
	1 x 5	6	11	205 / 3,770		✓		
	1 x 5 (OMDD, 2x2mm)	6	-	205 + 1.8 OMDD / 3,770		✓	✓	
HSM Powerline document shredders	<b>HSM Powerline 450.2</b>	2 x 15	4	28-32	290 / 3,686		✓	✓
	<b>HSM Powerline FA 500.3</b>	1.9 x 15	4	90-100	530 / > 6,700		✓	✓
HSM Powerline shredder balers	<b>HSM Powerline SP 5080</b>	1.9 x 15	4	90-100	Bale weight: 40-80 kg		✓	
	<b>HSM Powerline SP 5088</b>	1.9 x 15	4	90-100	Bale weight < 90 kg		✓	



● **Head office and production sites in Germany**

HSM GmbH + Co. KG  
Austraße 1-9  
88699 Frickingen / Germany  
Tel. + 49 7554 2100-0  
Fax + 49 7554 2100-160  
info@hsm.eu  
www.hsm.eu

○ **Subsidiaries**

HSM Técnica de Oficina y Medioambiente España, S.L.U.  
HSM France SAS  
HSM (UK) Ltd.  
HSM Polska Sp. z o.o.  
HSM of America LLC  
HSM China Ltd.

● **Sales and service points**